Think KING when RENOVATING

SPRING



PRICES IN EFFECT UNTIL JUNE 30TH, 2022



KW-302

KC-5006R

550 CFM AIR MOVER

8500AM

- 3 speed switch for airflow control
- · Comes with two on-board 120V outlets to connect up to 3 Air Movers together for bigger jobs
- Stackable design with interlocking intake guards
 10 ft. power cord
- for longer reach Convenient top handle for power cord storage and portability





7 1/4" 12 AMP. **CIRCULAR SAW**

8307N

 Durable steel shoe with depth adjustment and adjustable bevel stops at 0° and 45°

Comes with 24 tooth carbide tipped blade, arbor hex. key and adjustable edge guide

\$55.

10" TABLE SAW WITH RIVING KNIFE

KW-303

5" DISC HOOP **AND LOOP SANDING**

PAPER KIT KW-067

(KING CANADA

\$6.99

1.5 Amp. motor

SANDER

• Comes complete with 9 PC. accessories

5" RANDOM ORBIT

WET-DRY VACUUM

Double filtration system

8520LP

Comes complete with 6 ft. x 1-1/4" thread-on hose, 3 pc. plastic extension wand. 20L dust bag, foam filter, reusable filter, 10" floor sweep and crevice too

3.5 PEAK 5 20 LITERS GALLON US

\$79.99 \$29.99 KW-300 KW-301 VARIABLE SPEED RECIPROCATING **SAW KIT** Powerful 8354N 7.5 Amp. motor Variable speed 0-2900 SPM Tool-less blade clamp system



10" SLIDING COMPOUND MITER SAW WITH TWIN LASER 8380NS

· Powerful 15 Amp. 5,000 RPM motor Rotating table has 9 positive stops at 0°, 15°, 22.5°, 30° and

Accepts standard 1/2" shank blades

cutting blade

Comes with a wood cutting blade and metal

45° right and left Comes complete with a 2 position vertical hold down vise, retractable extension wings, dust bag, blade socket wrench and 40 tooth carbide-tipped

blade

Includes 1 carbide blade Stand Included **\$215.**





ground your work space

2



SINGLE PLATFORM BATTERY SYSTEM





2 - 20V MAX LITHIUM-ION **BATTERIES AND CHARGER INCLUDED**

CORDLESS IMPACT DRIVER KIT



2 - 20V MAX LITHIUM-ION BATTERIES AND CHARGER INCLUDED

COMBOIGHT



2 - 20V MAX LITHIUM-ION **BATTERIES AND CHARGER INCLUDED**

CORDLESS RECIPROCATING



KIT COMES WITH:

DRILL KIT

8045LK-BC

- 1.5 AH 20V LI-ION BATTERY
- 20V LI-ION BATTERY CHARGER

CORDLESS HAMMER

CORDLESS 4 1/2" ANGLE GRINDER KIT



KIT COMES WITH:

SAW KIT

8050LK-BC

- 3.0 AH 20V LI-ION BATTERY

CORDLESS OSCILLATING



KIT COMES WITH:

- 1.5 AH 20V LI-ION BATTERY
- 20V LI-ION BATTERY CHARGER



CORDLESS 6 1/2" CIRCULAR





K-020LBT 1.5 Ah 20V MAX Li-ion **BATTERY** \$49.99

K-023LBT-3 3 Ah 20V MAX Li-ion **BATTERY**

- KIT COMES WITH:
- 3.0 AH 20V LI-ION BATTERY
- 20V LI-ION BATTERY CHARGER

OPTIONAL^I





\$59.⁹⁹

VARIABLE SPEED DRYWALL SANDER

KC-8379

KIT COMES WITH::

· LED light illuminates the work

• 1.5 AH 20V LI-ION BATTERY

20V LI-ION BATTERY CHARGER

- Telescopic extension: 45" to 65"
- Comes with 6 hoop & loop sanding papers (2 x 80, 120, 180 Grit), extension tube, dust hose, 2 vacuum adaptors (1-1/4" & 1-3/8") and adjustment hex. key

8 GALLON TOOL TRIGGERED WET-DRY **VACUUM WITH HEPA** FILTER





PORTABLE VARIABLE SPEED METAL CUTTING BANDSAW

KC-8377

- Variable speed dial for 0-420 SFPM
 Cutting capacity of 5" x 5"
- Blade tension lever for quick adjustments
- Comes with standard 44-7/8" x 1/2"

Optional

Miter Stand turns this Bandsaw into a Cut-off Saw



TOE KICK SAW

- Powerful 1 HP, 6.8 Amp. motor
- Designed to cut subfloors underneath cabinets
- Flush mounted carbide blade cuts up to the inner wall of
- toe-kick panels 4 depth of cut positions: 1/4", 3/8", 5/8" and 3/4"
- Comes with 3-3/8 x 18 tooth carbide blade and adjustment hex. key



Replacement carbide blade

3-3/8" x 18 tooth carbide blade

1/2" DRILLING & MIXING KIT

KC-8316

- 0 600 RPM 9 Amp. motor
- Variable speed trigger with safety button to prevent accidental starts
- Double gear reduction for added torque Rear D-handle rotates 360°
- Comes with 1/2" chuck, 3 galvanized mixing paddles (10mm hex. shank), wrench and sturdy carrying case



BISCUIT JOINER KIT

KC-8306

- Motor: 7 Amp. 10,800 RPM
- Robust fence with 0 to 90° and 90° to 135° tilt adjustments with positive stops at 45° & 90°
- 45^o location notch allows indexing off the outside of a mitered joint
- Kit includes biscuit joiner with 4" carbide tipped blade, dust bag, hex. key and plastic carrying case







VARIABLE SPEED HAND-HELD BLOWER/VACUUM





3/8" ELECTRIC **DRILL**

8302N

- 3.3 Amp. motor
- 3/8" Keyless chuck Forward/reverse switch

3/8" ELECTRIC

• Non-Slip soft grip

DRILL

8304N

5 Amp. motor

• 3/8" Keyless chuck

Non-Slip soft Grip

Forward/reverse switch

1/2" HAMMER DRILL



8,000 - 30,000 RPM Comes with 40" Flex Shaft, 135 PC, assorted

accessories & 180 PC.

11/1/11/11/11/190 **ROTARY TOOL ACCESSORY KIT**

KW-145



KIT COMES WITH

 $1\times3.6 V$ Liion Screwdriver, $1\times$ Charger, $2\times$ Magnetized bit holders, $12\times1/4''$ Hex. shank bits $(2\times PH1, 2\times PH2, 2\times PH3, 2\times S1, 2\times S2, 2\times 6mm$ Flat)

NEVER LOOSE A SCREWDRIVER BIT AGAIN

The two 6 magnetized bit cartridges keep your most popular bits at hand

1/4" DRYWALL **SCREWDRIVER**

8315N

- Powerful 5 Amp. motor Variable speed control trigger
- with lock-on button No load speed 0-4,000 RPM
- Comes with two 1/4" Phillips #2 screwdriver bits



14" CUT-OFF SAW

- Standard 14" abrasive wheel Spark deflector for safe operation Quick release vise for holding workpiece, allows cuts up to

a 45° angle wrench storage



INFRARED DIGITAL THERMOMETER WITH LASER POINTER

K-5.50

S19.99

Temperature range (-50°C~550°C (-58°F~1022°F)



7" POLISHER/SANDER KIT

8369N Powerful 11 Amp. motor Variable speed dial (1,000 - 3,000 RPM) Comes with 7" polishing backing pad, wool bonnet, 7" sanding

\$109.99

REPLACEMENT 7" SANDING PAPER KIT @ ewi c

KW-111

REPLACEMENT WOOL BONNET

hook-and loop backing pad, 7" hook-and loop 80 grit

sanding paper and wrench

KM-090

\$15.99

REPLACEMENT



 Drill or hammer mode switch

 Depth stop gauge for depth drilling

565.





8208AG 12 pc. kit includes 4-1/2" angle grinder, 2 grinding wheels (1/8" & 1/4"), 5 sanding discs



10" RANDOM **ORBIT POLISHER**

8301 Ball Bearing

construction

10" Tapered foam applicato pad



Double Insulation



3/8" VARIABLE SPEED RIGHT ANGLE DRILL

8310ADN

- 3.5 Amp. motor
- 0-1500 RPM
- Forward/reverse switch Non-Slip soft grip



5" ANGLE DISC **GRINDER KIT**

8364N

• 8 Amp. motor • 11,000 RPM

Double Insulation



1/2" IMPACT WRENCH

8311N

- 7.5 Amp. motor
- Impacts 2700 BPM
- Maximum Torque 240 /ft.-lbs Comes with 4 sockets 11/16". 3/4", 13/16", and 7/8"

Double Insulation







AIR COMPRESSORS

ULTRA-QUIET OIL-FREE AIR COMPRESSORS

ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-1410A

- 1.8 CFM @ 40 PSI, 1.2 CFM @ 90 PSI
- 125 PSI maximum tank pressure • 1/4" universal "one touch" quick
- connect coupler

1 GALLON 3/4 HP (PEAK) (60 Decibels)

ASME safety valve

ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-2020A

3000 hours

- 3.8 CFM @ 40 PSI 2.35 CFM @ 90 PSI
- 125 PSI maximum tank pressure Extra long pump life of over 3000 hours

2 GALLON

2 HP (PEAK) (60 Decibels)

ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-4620A

- 3.80 CFM @ 40 PSI
- 2 35 CFM @ 90 PSI
- · Extra long pump life of
- over 3000 hours
 120 PSI maximum tank pressure

4.6 GALLON (2 X 2.3) 2 HP (PEAK) (60 Decibels)

ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-10020SQ

- 125 PSI maximum tank pressure
- 150 PSI max pressure
- 5.6 CFM @ 40 PSI
- 4.4 CFM @ 90 PSI 10 GALLON

3 HP (PEAK) (64 Decibels)

ASME safety valve



5 PEAK HP AIR COMPRESSOR

8498

- · Durable oil lubricated pump
- 20 gallon tank
- 7.4 SCFM @ 40 PSI
- 5.7 SCFM @ 90 PSI
- · Air Pressure Regulator and easy to read Pressure Gauges



5 GALLON TWIN

COMPRESSOR

COMBO KIT

Kit includes:

& BRAD NAILER

8488C/8200NH25

1-5 aallon air compressor

TANK AIR

3 GALLON OIL FREE AIR COMPRESSOR

KING

8438

- 1.0 CFM @ 40 PSI
- 0.60 CFM @ 90 PSI Air pressure regulator and e
- asy to read pressure gauges · Convenient reset feature

3 GALLON OIL FREE AIR COMPRESSOR & 2" BRAD NAILER KIT

8438/8200B

Kit includes: Kit comes with powerful 18 ga. x 2" brad nailer (70-100 PSI) which drives standard 18 ga. brad nails from 5/8" to 2'', $1/4'' \times 25$ ft. coil air hose, two 1/4'' female couplers, 1/4'' male fitting, tire

inflator, air blower, air blower adaptor, inflating nozzle, inflating needle, oil bottle and hex. keys

2 GALLON

- Durable oil lubricated pump 2 70 SCFM @ 40 PSI
- 2.30 SCFM @ 90 PSI
- Air pressure regulator and easy to read pressure gauges

2 Gallon tank

2 GALLON AIR COMPRESSOR AIR COMPRESSOR **COMBO KIT**

8449C/8200NH25

Kit includes:

- 1- 1.5 HP air compressor (8449C) 1- 18 gauge x 2" brad nailer kit
- (8200B)
- 1- 3/8" x 25' air hose 300 PSI (KAH-3825)

5 GALLON **TWIN TANK** AIR COMPRESSOR

8488C

- 3,400 RPM, 13 Amp. motor
- 5.0 CFM @ 40 PSI
- 4 0 CFM @ 90 PSI

Dual 1/4" universal "one touch" quick connect couplers allow user to connect up to

allow usc. 2 air tools 25HP • 1- 18 gauge x 2" brad nailer kit (8200B) • 1- 3/8" x 25' air hose 300 PSI (KAH-3825) 5 Gallon tank KING CANADA

COMPRESSOR ONLY ASME safety valve

COMBO KIT

COMPRESSOR ONLY ASME safety valve COMBO KIT

KING CANADA

COMPRESSOR ONLY ASME safety valve

COMBO KIT

ARCTIC FLEX

RETRACTABLE AIR HOSE REEL WITH HYBRID POLYMER AIR HOSE



-5038FRI 50 ft. x 3/8" All-Weather

Flexibility (-40°C to 65°C) Comes with wall mounting

MANUAL AIR HOSE REEL WITH HYBRID **POLYMER AIR HOSE**



K-10014FRL 100 ft. x 1/4" All-Weather

Flexibility (-40°C to 65°C) 360° swivel

(-40°C to 65°C)

HYBRID POLYMER INDUSTRIAL AIR HOSES

HYBRID POLYMER INDUSTRIAL AIR HOSES				
K-2514H	25' x 1/4"	\$21.99		
K-2538H	25' x 3/8"	\$29.99		
K-5014H	50' x 1/4"	\$33.99		
K-5038H	50' x 3/8"	\$44.99		
K-10014H	100' x 1/4"	\$54.99		
K-10038H	100' x 3/8"	\$65.99		

300 PSI MAXIMUM PRESSURE

PREMIUM HYBRID POLYMER **GARDEN HOSES**

150 PSI (Working) 450 PSI (Burst)



K-5058GH $5/8" \times 50 \text{ ft.}$

K-10058GH $5/8" \times 100 \text{ ft.}$

Extreme All-Weather Flexibility Kink resistant





WOOD MORTISING ATTACHMENT

MA-511

Kit comes with chisel holder, holddown arms, holddown bracket, fence, ring bushing adaptors, 4 pc. 1/2" shank mortising chisels & bits and



3000 PSI PRESSURE WASHER

KPW-3001FM

- 3000 PSI, 2.3 GPM maximum water flow
- 25' high pressure hose and inlet hose quick connect coupling
- Comes with 10" pneumatic wheels for portability and 4 quick connect nozzles (0°, 15°, 25°, 40° and detergent)



DRILL PRESSES & ACCESSORIES





Enhanced 13" Laser Effect 13" **DRILL PRESS DRILL PRESS** WITH DUAL LASER **GUIDE SYSTEM GUIDE SYSTEM**

KC-116N

- 7.5 Amp. motor16 speeds (220-3600 R.P.M.)
- 13" Swing 3 1/8" Stroke
- 5/8" Chuck



Drill Press VISES



3" -KPV-3 4" -KPV-4 \$26.99

5" -KPV-5 6" -KPV-6

kit KW-019

25 pc. rubber Crossslide VISES Makes lateral or longitudinal adjustments simple



KCV-4N 4"

KCV-5N



Safety pressure relief valve

 Loading abrasive is made simple using the concave funnel top of the tank

• 1/2" (I.D.) x 8 ft abrasive feed hose

• Includes media gun, 4 interchangeable nozzles (2, 2.5, 3 & 3.5mm), water separator filter, protective blast hood and teflon tape

Protective blast hood included

10 GALLON KSB-10

\$269.99

20 GALLON KSB-20



S19.99

KPW-220

 Safety lever has fusible link Durable pump included

CLEANING BRUSH FOR PARTS WASHERS KM-059 5 GALLON

KPW-205

Safety lever has fusible linkDurable pump included

8

PORTABLE & GASOLINE GENERATORS & ACCESSORIES

215.99

950W PORTABLE GENERATOR

KCG-951G

- Powerful 2 HP, 2 stroke air cooled motor
- Brushless alternator and electronic ignition
- Outlet: 120V/6.7 Amp. AC output
- Outlet: 12V/5.3 Amp. DC output
- AC and DC circuit breakers and reset buttons for safe operation
- Comes with DC cables and spark plug socket

1800W GASOLINE GENERATOR

KCG-1501GX

- Powerful 3 HP, 4 stroke air cooled motor
- Electronic ignition
- Low oil shut-off with indicator light protects the engine
- Duplex Outlet: 120V/11.6 Amp. AC output
- Terminals: 12V, 8 Amp. DC output
- AC and DC circuit breakers for safe operation
- Comes with DC cables and spark plug socket
- · Easy start recoil starter

5100W GASOLINE GENERATOR WITH WHEEL KIT

KCG-5100G

- Powerful 8 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Duplex outlet: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- · AC double throw circuit breaker and resets
- CSA & EPA approved

10000W GASOLINE GENERATOR WITH ELECTRIC START

KCG-10001GF

- Powerful 15 HP, 4 stroke air cooled motor
- AVR system and electronic ignition Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
 Two twist lock outlets: 120V/30 Amp and 120V/240V/30 Amp AC
- Keyed electric start and easy start recoil starter
- AĆ double throw circuit breaker and resets for safe operation
- CSA & EPA approved

12000W GASOLINE GENERATOR WITH ELECTRIC START

KCG-12000GE

- Powerful 18 HP, 4 stroke air cooled motor
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
 Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
 Outlet: 120V/240V/50 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets



KCG-12001GE-DF

- Powerful 18 HP, 4 stroke air cooled motor
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- Keyed electric start and easy start recoil starter
 AC double throw circuit breaker and resets

Comes with propane tank connection cable



KCG-15000GE

Powerful 20 HP, V-Twin horizontal shaft 4 stroke

- air cooled OHV engine

 AVR system and electronic ignition

 Two duplex outlets: 120V/20 Amp. AC

- Twist lock outlet: 120V/30 Amp. AC
 Outlet: 120V/240V/50 Amp. AC
 AC double throw circuit breaker and resets
- Terminals: 12V/8.3 Amp. DC with DC reset



















92' Total head lift (total height at sea level, to which water can be raised above original water level)

Oil sensor shuts off engine when oil level is low
Comes with 3 wire clamps, 4 hose adaptors, 4 rubber gaskets, strainer basket and strainer

Standard Accessories

Easy start recoil starter



4 stroke air cooled OHV engine



WATER PUMP HOSE KITS

Each hose kit comes with a type A threaded camlock adaptor

CLEAR PVC REINFORCED SUCTION HOSES

FLAT PVC DISCHARGE HOSES

2" X 25 ft S119.99

KW-253 3" X 25 ft



KW-502 2" X 50 ft **\$89**.99 KW-503 3" X 50 ft



GASOLINE DIGITAL INVERTER **GENERATORS**

KCG-2001i

 Sine wave digital inverter generator provides stable current to power voltage-sentitive electronics

Powerful 3 HP, 4 stroke air cooled OHV engine DC output for charging smartphones, tablettes or any USB powered equipment

DC Cigarette Lighter Socket:
12V/8 Amp DC output

AC Duplex Outlet: 120V/ 13.3 Amp AC output

Powerful 3 HP. 4 stroke air cooled

2000000 4000W

KCG-4000i


 Sine wave digital inverter generator provides stable current to power

voltage-sensitive electronics DC USB port: 5V/2.1 Amp.

DC cigarette lighter socket: 12V/8 Amp. DC output

AC duplex outlet: 120V/20 Amp. AC output AC twist lock outlet:

120V/30 Amp. AC output





GENERATOR HOME CONNECTION KIT Outdoor to indoor receptacle kit

Comes with 6 outlet power panel, generator power inlet box, 1/2" rigid PVC conduit, 1-1/4" spade bit, 1/2" PVC sleeve connector, 2 insulating gaskets and mounting hardware



GENERATOR EXTENSION CORDS

Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles

K-L1430-10 Extension cord length: 10 feet Gauge (AWG)/Cord: 12 (SJTW 4/C) K-L1430R-25



K-L1430-25-4T Extension cord length: 25 feet Gauge (AWG)/Cord: Light 10 (SJTW 4/C) 10 (SJTW 4/C)

K-L1430-25EXT Extension cord length: 25 feet Gauge (AWG)/Cord: 10 (STW 4/C)



50 AMP. GENERATOR ADAPTOR CORD

120/240V twist lock receptacle K-1450P-2

Cord length: 1.5 feet Gauge (AWG)/Cord: 10 (SJTW 4/C)



Nema 14-50P 120/240V plug to Nema L14-30R Female receptacle with lighted end

DUST COLLECTORS & ACCESSORIES • 4" Inlet and outlet · Complete with wheel castors for portability RC-110

REMOTE POWER CONTROL SYSTEM ... 590 CFM \$1**39**.9 KC-1105C 3/4 HP (110V) · Heavy duty bag 99 MINUTE TIMER • Comes complete with 10' hose, 120° INFRARED RAY dust hood, dust hood support RECEIVING ANGLE 600 CFM and wheel castors for portability Includes mounting 1 HP HARDWARE AND 2 AAA BATTERIES

KC-2105C

- Improved metal impeller for maximum air flow performance
- 4" diameter dust ports
- Comes with wheel castors for portability

KC-3105C

- Improved metal impeller-formaximum air flow performance
- 4" diameter dust ports accept accessory hoses for attaching up to 2 machines



12 1/2" PORTABLE PLANER

KC-426C

- Max. planing thickness
- 1/8" Max. depth of cut

• 2 double edged reversible knives

15 Amp. motor

12 1/2" REVERSIBLE PLANER KNIVES KKC-125 \$49.99

OPTIONAL PLANER DUST HOOD \$39.99 Fits 12 1/2" planer

OPTIONAL PORTABLE PLANER STAND SS-426 **\$59.**3

12" DOVETAIL JIG



K-2796 Handles materials from

5/16" to 1 1/4" thick, and widths up to 12" Unit includes 1/2' aluminum template

KING CANSO

3 SPEED AIR CLEANER WITH REMOTE CONTROL

.9 Amp. motor

Air capacity of 410 CFM

 2 stage filtration, one disposable electrostatic 5 microns outer filter and 1 Micron inner two pocket filter

410 GM

KAC-1200

720, 1115, 1290 GFM

microns outer filter and 1 Micron inner two pocket filter

• 4.2 Amp.

3 SPEED AIR CLEANER

Air suction capacity of 720, 1,115, 1,290 CFM • 2 stage filtration, one disposable electrostatic 5

WITH REMOTE CONTROL





K-1054

K-1317

DUST COLLECTION HOSE KIT #2 KIT Includes:

- 2 x 4" blast gates
 4" table saw dust hood
- 4" universal dust hood
 4" Y-fitting
 10 x 4" wire hose clamps

 - 2 x 4" X 10 ft. hoses



4" x 50 ft. PVC HOSE K-1034-50

\$3 99 Lin. Ft.

4" ELBOW K-1017

K-1039

KW-270

27 pc kit includes; 4 pc- 4" x 36" Clear tubes
1 pc- 4" x 7" Clear tube

• 2 pc- 4" 45 degree elbows

• 2 pc- 4" 90 degree elbows

• 7 pc- 4" adaptor fittings

• 2 pc- 4" Blast gates



27 PC 4" DUST COLLECTION HOOK-UP SYSTEM



K-1013 **S**11.99

DUST COLLECTION

SEPARATOR

with **ELBOW**

4" Y-FITTING K-1015

4" SPLICE K-1019



39888 🛮



4" WIRE HOSE CLAMP

4" BLAST GATE K-1007

S11.99

1 Cloth bottom dust bag KDCB-3105B Fits KC-3105C, KC-3108C,

KC-3109C 44 99

See through plastic bottom dust bags kit KDCB-5

5 BAGS PER BOX

1 pc-4" Y-fitting 8 pc- retaining Brackets (including 16 screws and 16 wall plugs) **5 GALLON (20L) ASH VACUUM**

Powerful 7.5 Amp., 6 Peak HP motor

 Hose is lined with metal to ensure heat resistance Superior filtration system with HEPA cartridge filter

Top mounted blower port & carry handle

 Convenient 10 ft. power cord
 Comes complete with HEPA cartridge filter, durable 3 ft. x 1-1/4" hose and 9" aluminum nozzle

DESIGNED TO CLEAN COLD ASH FROM FIREPLACES, WOOD STOVES **PELLET STOVES** AND

BARBECUES





WET-DRY VACUUM

8530LPN

Double filtration system

Convenient 12 ft. power cord Comes complete with 6 ft. x 1-1/4" hose, 2 pc. plastic extension wand, 30L dust bag, cartridge filter, foam filter, reusable filter,











BENCH TOP TOOLS 12" BENCH VARIABLE SPEED DRILL PRESSES

10" JOBSITE SAW WITH FOLDING STAND

KC-5100NS Extendable rails and table allowing up to 25" rip capacity

- Blade tilts 0° to 45°
- Comes with 10" x 40 tooth blade, rip fence, miter gauge, Standard and Dado table inserts, push stick and wrenches



6" BENCHTOP JOINTER WITH HELICAL CUTTERHEAD

KC-6HJC

• Powerful 1 HP motor

ANGLE GAUGE KW-180N

- Helical cutterhead with 12 cutter inserts
- 2-1/2" dust chute for dust collector hook-up
- Comes 2 safety push blocks, cutter insert. adjustment Torx key and adjustment hex. keys



KW-204 KC-6HJC &

ABRASIVE

CLEANER

K-1306

6" x 48" BELT &

KC-760L

9" DISC SANDER

Two 2-1/2" dust chutes with 2-1/2" to 4" adaptor

for dust collector hook-up

Comes complete with miter gauge, 2-1/2"to 4" dust

chute adaptor and sturdy

1 1/2" x 1 1/2" x 8 1/2"



MAGNETIC & MICRO KNIFE JIG ADJUSTABLE KNIFE ALIGNMEN KIT KIC AO KKC-50

ALIGNMENT KIT KKC-60



9" WOOD BANDSAW



- Powerful 1/2 HP, 5 Amp.
- Variable speeds (580 3200 RPM)
 Comes with 5/8" drill chuck, chuck key, onboard chuck key storage and



13" PLANER WITH HELICAL

1/2", 3/4", 1", 1-1/4", 1-1/2" and 1-3/4"

• Powerful 15 Amp. motor with thermal overload protection Pre-set depth stops for repeat cuts at 1/8", 1/4",

CUTTERHEAD KC-13HPC

12" x 18" VARIABLE SPEED WOOD LATHE KWL-1218VS Reliable single board computer microprocessor for precise control Spindle size: 1" x 8 TPI Comes complete with 3" faceplate, 6" & 12" tool rests with 5/8"

8" x 13" VARIABLE SPEED WOOD LATHE

Maximum turning capacity of 13" between centers
Variable speed range of 750 to 3200 RPM

Spindle size (RH thread):1" x 8 TPI

KWL-813VS

Complete with 4-1/4" and

7" tool rests with 1/2" post diameter, 5-3/4" faceplate,

MT#1 live center MT#1 spur center, steel knock-out

bar, adjustment keys and

hex. keys

4 hex. keys

post diameter, MT#2 spur centre andMT#2 heavy-duty live centre, safety goggles, screwdriver and knock-out rod, tool storage rack,

1 HP high performance \$699 DC motor

High performance 1/3 HP

(300 Watt) DC motor



G3 PEN TURNING CHUCK BUNDLE KIT (3-1/2")

48265C

4020C Direct Threaded 1"x 8TPI RH/LH. KIT INCLUPES: G3 Reversible Chuck. 50mm/2"Jaws, Pen Plus Jaws, Mandrel Sawer, T-bar chuck key, Woodworm screw and fastenings

G3 REVERSIBLE CHUCK KIT (3-1/2") 48232C

d 1"x 8TPI RH/LH. Direct Threaded 1
KIT INCLUDES:

G3 Reversible Chuck, 50mm/2"Jaws, T-bar chuck key, Woodworm screw and fastenings



nova 63

NOVA G3 WOOD LATHE CHUCK nova 63 ANNIVERSARY BUNDLE

48260

- 1" x 8 TPI
- 20, 50 & 100mm and Mini Cole jaw sets
- No chuck insert required

Fits: KWL-1016C, KWL-1218VS, KWL-1443VS



4 JAW /4" WOOD **LATHE CHUCK** KW-100 Fits models: KWL-1016C, KWL-1218VS & KWL-1443VS 1" x 8 TPI

8 PC. WOOD LATHE CHISEL SET

KPRO-08

• Long 10" hard wood handles

• Comes in a wood box



FOLDING ROLLER STAND KRS-102 • Stand height is adjustable from

- 27" to 44" • 11-3/4" Roller
- width Folds flat for



3 in 1 FOLDING **ROLLER STAND** KRS-108

- Easily change from a roller, omni-directional or a flat support
- Stand height is adiustable
- from 27" to 44"
 11-3/4" Roller width
- Folds flat for storage







\$559.99

SB-648-K-120 6"x 48" | 120 | 2

KING



\$12.99

The state of	DEGINIE				
Model	Disc size	Grit	Units/Kits	Price	
SD-9-K-60	9"	60	3	\$7.99	
SD-9-K-80	9"	80	3	\$7.99	
SD-9-K-100	9"	100	3	\$7.99	
SD-9-K-120	9"	120	3	\$7.99	

