

VARIABLE SPEED HAND-HELD BLOWER/VACUUM

- 116 CFM, max air speed 195 km/h (121 mph)
 Variable speed (6,000-14,000 RPM)



HEAT GUN

· Comes complete with heat gun, 4 nozzles,

Powerful 1,500 watt motor

5pc. paint scraper kit

Powerful 1.5 Amp, motor

• Comes with 60, 100 grit

sandpaper, rear vacuum port, detachable dust bag and sandpaper punch plate

operates at 14,000 OPM

8300N

8351N

DUAL TEMPERATURE

1/4 SHEET PALM SANDER

Vacuum mode

3" X 21" VARIABLE SPEED **BELT SANDER**

- Belt speed 390-1250 FPM
- Highly efficient dust collection system

Comes with sanding belt and dust bag

Powerful 7.2 Amp. motor



Emits 8000

lumens

•										
	3"x 21" SANDING BELT KITS									
	Model	Belt Size	Grit	Units/Kit	Price					
	SB-321-40	3"x 21"	40	10	\$2.99					
	SB-321-60	3"x 21"	60	10	\$2.99					
	SB-321-80	3"x 21"	80	10	\$2.99					

1/4" LAMINATE TRIMMER

8362N

- 3.3 Amp., 110V, 26,000 RPM no load speed
- Comes complete with 1/4" collet cone, 1/4" x 3/8" straight bit, straight edge guide, trimmer base and roller guide, #10 and #17 open end wrenches

\$69.99

3 1/4" PLANER

8333

- 4 4 Amp motor
- 16,000 cuts per minute



DETAIL PALM SANDER

8303N

• 1.2 Amp. motor

\$29.99

 Comes with 12 pieces of abrasives (4 x 80 grit, 4 x 120 grit, 4 x 180 grit) and dust port adaptor

9 PC. SANDING PAPER KIT KW-168

8305

<u>5" RANDOM</u>

• 1.5 Amp. motor

ÖRBIT SANDER

 Comes complete with 9 PC. accessorie



VARIABLE SPEED ORBITAL JIG SAW WITH LASER

- 6.5 Amp. motor Tool-less quick release
- blade change system
- Comes with jig saw blades, edge guide, dust chute, hex. key:

\$69.99

8352

- operates at 24.000 OPM
- Comes with 12 dust port adaptor and sandpaper punch plate



1/3 SHEET PALM SANDER

- 1.6 Amp. motor
- pieces of abrasives

1/3 SHEET PAPER KIT KW-163

\$9.99

VARIABLE SPEED RECIPROCATING SAW KIT

8354N

KW-067

- Variable speed 0-2900 SPM
- Tool-less blade clamp system

5" DISC HOOP AND LOOP SANDING PAPER KIT

- Accepts standard 1/2" shank blades
 Comes with a wood cutting blade, metal cutting
- blade and adjustment hex. key



WORK LIGHT

KC-750LED-B 5W Work liaht emits 750 lumens \$1**9**.⁹⁹



Cordless KC-1502LED-C 10W Work

light emits 1500 lumens



KC-1501LED 15W Work

liaht emits 1500 lumens S35.⁹⁹



KC-3001LED 20W Work liaht emits 3000 lumens



36W Work liaht emits 4000 lumens

50 FT. 5 LED STRING LIGHT■

KC-3002LED-ST

Emits

6000

lumens

K-5016-5LED

KC-4002LED-ST

- Temporary string lighting with 5 high intensity LED lights in 10 feet increments
- 50 foot 16 AWG /3 conductor
- grounded SJT power cord
 75 linear feet of coverage at 10 feet in height Waterproof to IP44 standards



5,000 Lumens

3 1/2" MINI PLUNGE SAW KIT

- Compact hand held plunge saw can cut wood, plastic ceramic tile, aluminum and even sheet metal Make plunge cuts up to 1-1/8"
- Worm-drive power transmission

system for greater cutting power Comes complete with 3 blade set (24 tooth carbide tipped blade, segmented diamond blade and 80 tooth HSS blade), dust extraction hose, edge guide and blade

changing hex. key





2









• Variable speed control trigger with lock-on button

 Powerful 5 Amp, motor No load speed 0-4,000 RPM • Forward/reverse switch

DRILL



















Double Insulation







- 3.5 Amp. motor 0-1500 RPM
- Forward/reverse switchNon-Slip soft grip

\$75.

REPLACEMENT 7" SANDING

PAPER KIT (S KING CAND \$9.99



sanding paper and wrench REPLACEMENT **WOOL BONNET** \$15.99

7" hook-and loop 80 grit











AIR COMPRESSORS

ULTRA-QUIET OIL-FREE AIR COMPRESSORS

ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-1410A • 1.8 CFM @ 40 PSI

- 1.2 CFM @ 90 PSI
- 125 PSI maximum tank pressure
- 1/4" universal "one touch" quick

1 GALLON 3/4 HP (PEAK) (60 Decibels)

ASME safety valve

ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-2020A

- 3 8 CFM @ 40 PSI
- 2.35 CFM @ 90 PSI
- 125 PSI maximum tank pressure Extra long pump life of over 3000 hours

2 HP (PEAK) (60 Decibels) ASME safety valve

\$279.99

ULTRA-QUIET OIL-FREE AIR COMPRESSOR

- 3 80 CFM @ 40 PSI
- 2.35 CFM @ 90 PSI
- Extra long pump life of over 3000 hours
- 120 PSI maximum tank pressure

4.6 GALLON (2 X 2.3) 2 HP (PEAK) (60 Decibels)

ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-10020SQ

- 125 PSI maximum tank pressure
- 150 PSI max pressure
- 5.6 CFM @ 40 PSI 4.4 CFM @ 90 PSI

10 GALLON 3 HP (PEAK) (64 Decibels)

ASME safety valve



5 PEAK HP AIR COMPRESSOR

- Durable oil lubricated pump
- 20 gallon tank 7.4 SCFM @ 40 PSI
- 5.7 SCFM @ 90 PSI Air Pressure Regulator and easy to read Pressure Gauges



NEW LOWER PRICE

\$349.99

COMPRESSOR OIL BOTTLE

KW-077 (850ml)

\$9.99

20 GALLON ASME safety valve

\$225.

KING

ARCTIC FLEX

RETRACTABLE AIR HOSE **REEL WITH HYBRID POLYMER AIR HOSE**



50 ft. x 3/8"

(-40°C to 65°C) Comes with wall mounting \$109.99

MANUAL AIR HOSE REEL WITH HYBRID **POLYMER AIR HOSE**



100 ft. x 1/4"
• All-Weather
Flexibility riexibility (-40°C to 65°C) 360° swivel

\$109.99

(-40°C to 65°C)



ADJUSTABLE

AIR DEFLECTOR

HYBRID POLYMER INDUSTRIAL AIR HOSES

HYBRID POLYMER INDUSTRIAL AIR HOSES K-2514H 25' x 1/4" \$21.99 25' x 3/8" \$29.99 K-5014H 50' x 1/4" \$33.99 K-5038H | 50' x 3/8" | \$44.99 K-10014H | 100' x 1/4" | \$54.99

K-10038H | 100' x 3/8" | \$65.99 300 PSI MAXIMUM PRESSURE

PREMIUM HYBRID POLYMER **GARDEN HOSES** 150 PSI (Working) 450 PSI (Burst)

K-5058GH $5/8" \times 50 \text{ ft.}$ \$45. K-10058GH

5/8" x 100 ft.

ADJUSTABLE AIR DEFLECTOR

Extreme All-Weather Flexibility Kink resistant

16 GA. X 7/16" MEDIUM **CROWN STAPLER KIT**

8216S-2

3/4" to 2' Staple range Comes with & sti carrying case



23 GA. X 2" HEADLESS PIN **NAILER KIT**

8251PN

• 1/2" to 2' Pin nail range
• Comes with 1/4"

Air inlet, 2 removable non-marring tips, eiler hex. keys and sturdy carrying cass



16 GA. X 2-1/2" **BRAD NAILER KIT**

8225NL

3/4" to 2 1/2" Nail range

Comes with 1/4" air inlet, oiler, hex. keys & sturdy



23 GA. X 1 3/8" HEADLESS **PIN NAILER KIT**

8223PN

1/2" to 1-3/8"

Pin range Comes with 1/4" Air inlet, 2 removable non-marring tips, oiler,

car

ADJUSTABLE





18 GA. NAILER/STAPLER KIT

8210NS

NEW &

IMPROVED

- 18 Ga. x 1/4"
- (3/8" to 1 5/8") stapler 18 Ga. (3/4" to 2") nailer Comes with 1/4" air inlet, oiler, he keys and sturdy carrying case

HOT DEAL!

\$69.99





AIR COMPRESSORS

3 GALLON OIL FREE 3 GALLON OIL FREE AIR COMPRESSOR

8438

- 1.0 CFM @ 40 PSI
- 0.60 CFM @ 90 PSI
- Air pressure regulator and
- easy to read pressure gauges Convenient reset feature

AIR COMPRESSOR & 2" BRAD NAILER KIT

8438/8200B

Kit includes:

 Kit comes with powerful 18 ga. x 2" brad nailer (70-100 PSI) which drives standard 18 ga. brad nails from 5/8" to 2", 1/4" x 25ft. coil air hose, two 1/4" female couplers, 1/4" male fitting, tire inflator, air blower, air blower adaptor, inflating nozzle, inflating needle, oil bottle and hex. keys

2 GALLON

8449C

- Durable oil lubricated pump
- 2.70 SCFM @ 40 PSI
 2.30 SCFM @ 90 PSI
- Air pressure regulator and easy to read pressure gauges

1.5 HP

2 Gallon tank

2 GALLON AIR COMPRESSOR AIR COMPRESSOR **COMBO KIT**

8449C/8200NH25

Kit includes:

- 1- 1.5 HP air compressor (8449C) 1- 18 gauge x 2" brad nailer kit (8200B)
- 1- 3/8" x 25' air hose 300 PSI (KAH-3825)

5 GALLON TWIN TANK AIR COMPRESSOR

8488C

- · 3,400 RPM, 13 Amp. motor 5.0 CFM @ 40 PSI
- 4.0 CFM @ 90 PSI
- Dual 1/4" universal "one touch" quick connect couplers allow user to connect up to



\$125.

COMPRESSOR ONLY ASME safety valve

169.99

COMBO KIT

\$169.99

COMPRESSOR ONLY ASME safety valve COMBO KIT

\$209.99

KING CANADA

\$219.99

COMPRESSOR ONLY

PERFORMANCE **PLUS**

5 GALLON TWIN

& BRAD NAILER

8488C/8200NH25

• 1- 5 gallon air compressor

COMPRESSOR

COMBO KIT

Kit includes:

TANK AIR

COMBO KIT

PC. AIR TOOL KIT



SPRAY GUN KITS








99.99





Industrial style with traditional fit and feel Separate adjustable fluid and spray pattern knobs for fine detailing or total coverage









ASME safety valve





PALM NAILER 8120P

- Powerful palm nailer drives bulk, framing, timber and finishing nails up to 4-1/2" (120mm) in length

 • Magnetic nail holder for fast and easy nailing
- · Comes with oiler and hex. key

18 GA. 2" BRAD NAILER / ADJUSTABLE AIR DEFLECTOR 1" NARROW CROWN STAPLER 8201N/8101SK Kit Includes: • 3/4" to 2 " Nailer

• 3/8" to 1" Stapler • Comes with 1/4" air inlet, oiler, hex. keys and sturdy carrying

case

\$149.99



18 GA. X 1/4" NARROW **CROWN STAPLER KIT**

 3/8" to 1" Staple range

Comes with 1/4" air inlet, oiler, hex. keys and sturdy carrying



• 1" to 2" Staple range • 1 1/2" to 2" Cleat nail range

 Comes with mallet, 1/4 air inlet, safety glasses, oiler, hex. keys & sturdy carrying case



ADJUSTABLE

AIR DEFLECTOR











\$199.99

20 GALLON

KPW-220

5 GALLON

KPW-205

PORTABLE & GASOLINE GENERATORS & ACCESSORIES

\$399.99

1800W GASOLINE GENERATOR

- Powerful 3 HP, 4 stroke air cooled motor
- Electronic ignition
- Duplex Outlet: 120V/11.6 Amp. AC output
- Terminals: 12V, 8 Amp. DC output
- AC and DC circuit breakers for safe operation
- Easy start recoil starter

5100W GASOLINE GENERATOR WITH WHEEL KIT

- Powerful 8 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Duplex outlet: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- AC double throw circuit breaker and resets

6500W GASOLINE GENERATOR WITH ELECTRIC START & WHEEL KIT

- Powerful 10 HP, 4 stroke air cooled motor
- AVR system and electronic ignition
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets for safe operation

10000W GASOLINE GENERATOR WITH ELECTRIC START

KCG-10001GI

- Powerful 15 HP, 4 stroke air cooled motor
- AVR system and electronic ignition
 Two duplex outlets: 120V/20 Amp. AC
- Two twist lock outlets: 120V/30 Amp and 120V/240V/30 Amp AC
- Keyed electric start and easy start recoil starter
 AC double throw circuit breaker and resets for safe operation



12000W GASOLINE GENERATOR WITH ELECTRIC START

KCG-12000GE

- Powerful 18 HP, 4 stroke air cooled motor
- AVR system and electronic ignition
 Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- Keyed electric start and easy start recoil starter
 AC double throw circuit breaker and resets



12000W DUAL/FUEL WITH ELECTRIC START

Not Included

KCG-12001GE-DF

· Powerful 20 HP,

V-Twin horizontal shaft 4 stroke air cooled OHV engine

- AVR system and electronic ignition
- Two duplex outlets: 120V/20 Amp. AC
 Twist lock outlet: 120V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- AC double throw circuit breaker and resets
 Terminals: 12V/8.3 Amp. DC with DC reset

Comes with propane tank connection cable





- Sine wave digital inverter generator provides stable current to power
- voltage-sentitive electronics Powerful 3 HP, 4 stroke air cooled OHV engine DC output for charging smartphones, tablettes or any USB powered equipment

 DC Cigarette Lighter Socket: 12V/8 Amp DC output

 AC Duplex Outlet: 120V/

13.3 Amp AC output

\$699.99

Powerful 3 HP, 4 stroke air cooled

- Sine wave digital inverter generator provides stable current to power
- voltage-sensitive electronics
- DC USB port: 5V/2.1 Amp.
 DC cigarette lighter socket: 12V/8 Amp. DC output
- AC duplex outlet:
 120V/20 Amp. AC output
 AC twist lock outlet: 120V/30
- Amp. AC output



\$1249.99 4500W

Powerful 7.5 HP, 4 stroke air cooled OHV engine

GENERATOR EXTENSION CORDS

Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles

K-L1430-10


Extension cord length: 10 feet

Gauge (AWG)/Cord: 12 (SJTW 4/C)

K-L1430R-25

Extension cord length: 25 feet

Gauge (AWG)/Cord: 10 (\$JTW 4/C)



K-L1430-25-4T

(SJTW 4/C)



50 AMP. GENERATOR ADAPTOR CORD

Nema 14-50P 120/240V plug to Nema L14-30R 120/240V twist lock receptacle

Cord length: 1.5 feet

Gauge (AWG)/Cord: 10 (SJTW 4/C)

Female receptacle with lighted end

15,000W v-twin gasoline generator with electric start

KCG-15000GE

- AVR system and electronic ignition
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/30 Amp. AC Outlet:
- 120V/240V/50 Amp. A AC double throw circuit breaker and resets
- Terminals: 12V/8.3 Amp DC with DC reset








COMPOUND MITER SAWS











ADHESIVE DISCS					SANDING BELTS					
Model	Disc size	Grit	Units/Kits	Price	Ιſ	Model	Belt Size	Grit	Units/Kits	Price
SD-6-K-60	6"	60	3	\$6.99	Ш	SB-436-K-60	4"x36"	60	2	\$7.99
SD-6-K-80	6"	80	3	\$6.99	Ш	SB-436-K-80	4"x36"	80	2	\$7.99
SD-6-K-100	6"	100	3	\$6.99	П	SB-436-K-100	4"x36"	100	2	\$7.99
SD-6-K-120	6"	120	3	\$6.99	П	SB-436-K-120	4"x36"	120	2	\$7.99



16" VARIABLE SPEED SCROLL SAW



Powerful 1/2 HP, 5 Variable speeds (580 - 3200 RPM) Comes with 5/8" drill chuck, chuck key, onboard chuck key storage and adjustment hex. keys Θ Digital Readout Mechanical variable speed Enhanced Laser Effect system 13" PLANER WITH HELICAL CUTTERHEAD KC-13HPC • Powerful 15 Amp. motor with thermal overload protection Pre-set depth stops for repeat cuts at 1/8", 1/4", 1/2", 3/4", 1", 1-1/4", 1-1/2" and 1-3/4"

\$**99**.99



12" BENCH VARIABLE

SPEED DRILL PRESSES



serve me rigin to limit quantilities. Accessory ut notice. Articles may vary from illustration shown. retailers may not stock all products due to space restrictions and product availability

67 1/2" WOOD CUTTING BANDSAW BLADES Length Width TPI Thickness Price KBB-1018-14 67 1/2" 1/8" 14 .018" KBB-1014-6 67 1/2" 1/4" 6 .020" \$22.99 \$22.99 KBB-1038-6 67 1/2" 3/8" 6 .020" KBB-1012-6 67 1/2" 1/2" 6 .020"



Fits: KWL-813VS ,KWL-1016C, KWL-1218VS, KWL-1443VS



width

storage

8 PC. WOOD LATHE CHISEL SET

• Long 10" hard wood handles

Comes in a



1" x 8 TPI **FOLDING** 3 in 1 FOLDING **ROLLER STAND** ROLLER STAND KRS-108

• Stand height is • Easily change from a roller, adjustable from omni-directional or a flat support 27" to 44" Stand height is 11-3/4" Roller

adjustable from 27" to 44"

• 11-3/4" Roller width





