THINK KING WHEN RENOVATING



Facebook, Google+ &



YouTube





KC-1410A

- 125 PSI maximum tank pressure
 ASME safety valve
 1/4" universal "one touch"
- quick connect coupler

 Air pressure regulator and large easy to read

pressure gauges

Ultra-quiet motor only 60 decibels

KING



- Tool-free quick release latch system
- Comes with 1.5 mAh battery, battery charger, carry bag, sanding back-up pad and 3 sand papers (80, 120 & 180 Grit), rigid offset scraper blade and a standard wood cutting saw blade





K-2512-1T-YE

K-950SDF





12/3 YELLOW



10" PORTABLE WORKSITE TABLE SAW

KC-5015C

- Blade tilts 0° to 45° with detents for versatile angle cutting
- Complete under-table storage stores the rip fence, anti-kickback pawls, blade guard, miter gauge, push stick and wrenches under the table for maximum protection during transport and storage





CORDLESS LED WORK LIGHTS

KC-2202LED-C 20W Work Light Emits 2200 lumens

Comes with magnetic base



15,000W V-TWIN GASOLINE GENERATOR KCG-15000GE

- AVR system and electronic ignition
 Two duplex outlets: 120V/20 Amp. AC
 Twist lock outlet: 120V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- · AC double throw circuit breaker and resets
- Terminals: 12V/8.3 Amp. DC with DC reset
- CSA & EPA approved

2000W GASOLINE DIGITAL INVERTER

CENERATOR

AC Duplex Outlet: 120V/13.3

Powerful 20 HP, V-Twin horizontal shaft 4 stroke air cooled OHV engine



USB

ALL WEATHER HEAVY-DUTY (400 GEORG) SINGLETAD EXTENSION CORDS Model Length AWG Color

25'

.0	K-2512-1T-RD	25'	12/3	RED	23.99				
	K-2512-1T-OR	25'	12/3	ORANGE	23.99				
V	 15A 125V, 1675W For indoor and outdoor use Ultra flexible / High visibility colors / Lighted ends 								
	K-5012-1T-YE K-5012-1T-RD K-5012-1T-OR	50' 50' 50'	12/3 12/3 12/3	YELLOW RED ORANGE	44.99 44.99 44.99				
	K-5012-11-GN	50'	12/3	GREEN	44.99				
1	27TRIPLE-TAP								
4	K-212-3T-RD	2′	12/3	RED	9.99				



WWW.KINGCANADA.COM

RETRAGIABLEAIR LOSE RELWITH LIMERID POLYMERAIR HOSE

K-5038FRL 50 ft. x 3/8"

 All-Weather Flexibility (-40°C to 65°C) · Comes with wall mounting hardware

MANUALAIR 1:03E REELWIII: 1:1MBRID POLYMERAIR HOSE

K-10014FRL 100 ft. x 1/4"

- All-Weather Flexibility (-40°C to 65°C)
- 360° swivel base

K-5038H

K-10014H

K-10038H

HMBRID POLYMER INDUSTRIALAIR HOSES

HYBRID POLYMER INDUSTRIAL AIR HOSES K-2514H 25'x1/4" \$19,99 K-2538H 25'x3/8" \$26.99 K-5014H



PREMIUM HYBRID POLYMER GARDEN HOSES 150 PSI (Working) 450 PSI (Bursi)

-5058GH 5/8" x 50 ft.

K-10058GH $5/8" \times 100 \text{ ft.}$

Extreme All-Weather Flexibility Kink resistant









Amp AC output





18" ROLLING TOTE TOOL BAG

- 600 Denier water-resistant material for all weather use
- 18 storage pockets and 2 rear mounted measuring tape loops
- Heavy-duty wheels and telescopic handle for easy transportation

100 lbs weight capacity



PORTABLE & GASOLINE GENERATORS & accessories

950W PORTABLE GENERATOR

KCG-951G

- · Brushless alternator and electronic ignition
- Outlet: 120V/6.7 Amp AC output
- Outlet: 12V/5.3 Amp DC output
- · AC and DC circuit breakers and reset buttons for safe operation
- · Comes with DC cables and spark plug socket



1500W GASOLINE GENERATOR

KCG-1501GN

- Low oil shut-off with indicator light protects the engine
 Duplex Outlet: 120V/10 Amp. AC output
- Terminals: 12V, 8 Amp. DC output
- AC and DC circuit breakers for safe operation



4200W GASOLINE GENERATOR WITH WHEEL KIT

KCG-4200G

- · AVR system and electronic ignition
- · Low oil shut-off with indicator light protects the engine
- Duplex outlet: 120V/20 Amp AC
- Twist lock outlet: 120V/240V/30 Amp AC
- AC double throw circuit breaker and resets for safe operation



6500W GASOLINE GENERATOR WITH WHEEL KIT

KCG-6501G

- AVR system and electronic ignition
 Low oil shut-off with indicator light protects the engine
 Duplex outlet: 120V/20 Amp AC
- Twist lock outlet: 120V/240V/30 Amp AC
- AC double throw circuit breaker and resets for safe operation



8500W GASOLINE GENERATOR WITH ELECTRIC START & WHEEL KIT

KCG-8500GE

- · AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
 Two duplex outlets: 120V/20 Amp AC
- Two twist lock outlets: 120V/30 Amp and 120V/240V/30 Amp AC
- Keyed electric start and easy start recoil starter
 AC double throw circuit breaker and resets for safe operation
- Wheel kit includes 10" wheels and pivot handles





10,000W GASOLINE GENERATOR WITH ELECTRIC START & WHEEL KIT

KCG-10000GE

- AVR system and electronic ignition
- · Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp AC
- Two twist lock outlets: 120V/30 Amp and 120V/240V/30 Amp AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets for safe operation
- Neutral bonded to frame
- CSA & EPA approve



Extension cord length: 10 feet Gauge (AWG)/ Cord: 12 (SJTW 4/C) Number of 120V plugs: 4



Extension cord length: 25 feet Gauge (AWG)/Cord: 10 (SJTW 4/C) Number of Lighted 120V plugs: 4



plug into Nema 5-15/20R 120V 20A receptacles

K-L1430R-25

Extension cord length: 25 fee Gauge (AWG)/Cord: 10 (SJTW 4/C) Number of

120V plugs: 4 Resets

RV GENERATOR ADAPTER

K-TT30R This adapter allows a generator with a NEMA L5-30R 125V twist lock receptacle to be connected to

recreational vehicles that use typica RV extension cord

GENERATOR EXTENSION CORDS K-L1430-10 GENERATOR EXTENSION CORDS HIGH PRESSURE WASHER

KPW-3001FM

- 3000 PSI, 2.3 GPM maximum water flow
- Thermal relief valve on pump to protect against overheating
 • 25' high pressure hose and inlet hose



VERTICAL GAS LOG SPLITTERS

KCG-20LS

- · Quick split 8 second cycle time cylinder
- Splits logs up to 21" in length
- Log cradle keeps logs from dropping to the ground





KCG-26LS

- · Quick split 8 second





CASOLINE WATER PUMPS

92' Total head lift (total height at sea level, to which

Oil sensor shuts off engine when oil level is low

 Comes with 3 wire clamps, 4 hose adapters, 4 rubber gaskets, strainer basket and strainer

2// NPT inlet and outlet

KCG-2PGN-7

KCG-3PG-7

Easy start recoil starter

FLAT PVC DISCHARGE HOSES


WATER PUMP HOSE KITS

CLEAR PVC REINFORCED SUCTION HOSES

KW-502

KW-503

3" X 50 ft 3







WET/DRY SHARPENER

Forward,

Reverse

4-1/2" x 1-1/2" 220

Grit wheel runs

at 170 RPM

KC-4500S

ELECTRIC

SHARPENER

KC-3900S



1" X 42" BELT & 8" DISC SANDER



COMPOUND MITER SAWS







INSPECTION CAMERA WITH LCD MONITOR

KC-9050

- Kit includes: • 39" x 9mm flexible-obedient
- camera probe • 2.4" diagonal TFT-LCD
- color monitor,
 Kit comes with 3 accessory tools (45° mirror, magnetic pick-up, pick-up hook) and 4 AA batteries



KC-9200 Kit includes:

3X

39" x 9mm flexible-obedient

camera probe probe, 39" x 10mm camera probe extension, 3.5" TFT-LCD wireless color monitor, monitor Li-ion charger, 45° mirror, magnetic pick-up, pick-up hook, USB and Video cables, 4GB SD memory card and 4 AA batteries



4.5MM CAMERA PROBE FOR DRILL PRESSES & accessories INSPECTION

CAMERAS KW-9123

- 4.5mm diameter x 39" flexible-obedient camera probe waterproof to IP67 standards
- LED lights inside the camera probe tip illuminate dark spaces



8" DRILL **PRESS**

KC-108N





WITH DUAL

SYSTEM

KC-116N

• 5/8" Chuck

DRILL PRESS

GUARD

KM-116N

S19.99

Fits KC-116N

& KC-116FN

CHUCK SAFETY

29 PC. **TITANIUM DRILL BIT SET** KDB-29T 29 (1/16"-1/2" x 1/6 4")

LASER GUIDE

• 7.5 Amp. motor • 16 speeds (220-3600 R.P. • 13" Swing • 3 1/8" Stroke

Laser Effect

Laser Effect

10" DRILL **PRESS WITH DUAL LASER GUIDE SYSTEM** KC-110N 2.5 Amp. motor 5 speeds (570-3050 R.P.M Laser Effect • 10" swing • 2 3/8" stroke • 1/2" chuck **DRILL PRESS**

5"X6" METAL CUTTING **BANDSAW**

KC-129C

- 3 speeds (80-120-200 FPM)
- Automatic shut-off switch
- Can be used horizontally or vertically

(C) KING CHARM	H.S.S. & E	II-ME	TAL	BLADES ("SKI	P TOO	TH")
RAIL DOCUMENTS	Model	Length	Width	Blade Material	TPI	Thickness	Price
	KBB-115-10	64 1/2"	1/2"	H.S.S.	10	.025	\$13.99
	KBB-115-14	64 1/2"	1/2"	H.S.S.	14	.025	\$13.99
	KBB-115-18	64 1/2"	1/2"	H.S.S.	18	.025	\$13.99
1	KBB-115-24	64 1/2"	1/2"	H.S.S.	24	.025	\$13.99
	KBB-115-BM-10	64 1/2"	1/2"	Bi-Metal	10	.025	\$33.99
V	KBB-115-BM-14	64 1/2"	1/2"	Bi-Metal	14	.025	\$33.99
	KBB-115-BM-18	64 1/2"	1/2"	Bi-Metal	18	.025	\$33.99

PRESSURE ABRASIVE SANDBLASTERS

- Heavy-duty all steel construction
- Safety pressure relief valve
- · Loading abrasive is made simple using the concave funnel top of the tank
- 1/2" (I.D.) x 8 ft abrasive feed hose

RECIRCULATING

PARTS WASHERS

• Includes media gun, 4 interchangeable nozzles (2, 2.5, 3 & 3.5mm), Protective water separator blast filter, protective blast

hood included hood and teflon tape





CLEANING BRUSH FOR PARTS WASHERS

\$19.99

KM-059



\$169.⁹⁸

KPW-220

Safety lever has fusible linkDurable pump included

20 GALLON

WOOD MORTISING **ATTACHMENT**

MA-511

Kit comes with chisel holder, holddown arms, holddown bracket,fence, ring bushing

adapters, 4 pc. 1/2" shank mortising chisels & bits and carrying case



25 PC. RUBBER **SANDING DRUM**

KW-019

S17.99



Drill Press VISES

3"-KPV-3

4" -KPV-4 5" -KPV-5 6" -KPV-6



14"CUT-OFF SAW

- wheel

- wrench storage





DRILL PRESS WITH DUAL LASER GUIDE **SYSTEM** KC-116FN



5 GALLON

- Safety lever has fusible linkDurable pump included





AIR COMPRESSORS & accessories



TIKI OSIMOD

COMPRESSORONIN

NAILERS & STAPLERS

16GA. X 2 1/2" BRAD **NAILER KIT**

8225NL

• 3/4" to 2 1/2" Nail range

 Comes with 1/4" air inlet, oiler, hex. keys, safety glasses & sturdy carrying case



21 GA. X 5/8" -1/2" CROWN **UPHOLSTERY STAPLER KIT**

1/4" to 5/8" Staple range Comes with 1/4" air inlet,

oiler, hex. keys, & sturdy carrying case



18GA. X 1" - 1/4" NARROW **CROWN STAPLER KIT**

• 3/8" to 1" Staple range • Comes with 1/4" air inlet,

oiler, hex. keys, & sturdy carrying case



COIL ROOFING NAILER KIT

7/8" to 1 3/4" (11 Ga.)
Comes with 1/4" air inlet, debris shield, safety glasses, oiler, hex. keys



ADJUSTABLE AIR DEFLECTOR

23GA. X 1 3/8" **HEADLESS PIN NAILER KIT**

8223PN

• 1/2" to 1-3/8" Pin range • Comes with 1/4" Air inlet, 2 removable non-marring tips, oiler, hex. keys and sturdy



23GA. X 2" HEADLESS PIN **NAILER KIT**

• Comes with 1/4" Air inlet, 2 removable non-marring tips, oiler, hex. keys and sturdy carrying case



18GA. X 2" **BRAD NAILER KIT**

8201N

• 3/4" to 2" Nail range

• Comes with 1/4" air inlet, oiler, hex. keys, safety glasses & sturdy carrying case



CLIPPED HEAD FRAMING NAILER KITS

28430°

8228N

• Shoots standard 2 3/16" -3 9/16"



8234N

 Shoots standard 3 9/16"

16 GA. X 2" - 7/16" MEDIUM **CROWN STAPLER KIT**

8216S-2

• 3/4" to 2" Staple range • Comes with 1/4" air inlet,

oiler, hex. keys, safety glasses & sturdy carrying case



PALM NAILER

8120P

Powerful palm nailer drives bulk, framing, timber and finishing nails up to 4-1/2"

(120mm) in length Magnetic nail holder for fast and easy nailing

• Comes with oiler and hex. key



18 GA. NAILER/ **STAPLER KIT**

8210NS

• 18 Ga. x 1/4" (3/8" to

1 5/8") stapler

• 18 Ga. x 1/4" (3/4" to 2") nailer

• Comes with 1/4" air inlet, oiler, hex. keys



2" FLOORING STAPLER/ **CLEAT NAILER KIT**

8260FSN-2

• 1 " to 2" Staple range • 1 1/2 " to 2" Cleat

nail range Comes with mallet, 1/4"

air inlet, safety glasses, oiler, hex. keys & sturdy carrying case



18 GA. 2" BRAD NAILER / 1" NARROW CROWN STAPLER

8201N/8101SK

Kit Includes:
• 3/4" to 2 " Nailer
• 3/8" to 1" Stapler

 Comes with 1/4" air inlet, oiler, hex. keys and sturdy





2" FLOORING STAPLER/ **CLEAT NAILER KIT**

8266FSN-3 •1 1/2" to 2" staple

range • 1 1/2 " to 2" "L" & "T" cleat nail range

Comes with nylon-fibre glass mallet, 1/4" glasses, oiler, hex. keys & sturdy carrying case











DETAIL PALM SANDER

8303N

- 1.2 Amp motor
- 1 Dust port adapter
- 4 80 Grit sandpaper
- 4 120 Grit sandpaper
- 4 180 Grit sandpaper

9 PC. SANDING PAPER KIT







- 1.5 Amp motor
- 1 Dust collection bag
- 1 replacement hook & loop pad
 2 80 Grit 5" sanding discs
 2 120 Grit 5" sanding discs
 2 180 Grit 5" sanding discs







KW-4808



KW-4810





KW-4811

S6,99

KW-4818



KW-4812

KW-4819 KW-4820 \$11.99



KW-4813

\$6,99



KW-4815

\$6,⁹⁹

KW-168








3" X 24" BELT SANDER

8357

- 10 Amp. motor
- Belt speed 1300 FPM
- Comes with sanding belt and dust bag





3-IN-1 VARIABLE SPEED BLOWER/VACUUM/MULCHER

8500BVM

shoulder strap

- Blower function provides 180 to 320 Km/h of air speed
- Vacuum function provides 110 to 350 CFM of air volume
 16 to 1 mulch ratio mulches 16 bags of leaves into 1
- bag of mulched leaves
- 5" vacuum/mulcher collection tubes
 Comes with blower attachment, vacuum/mulching attachments, washable leaf collection baa and adiustable



www.kingcanada.com 71/4/12/AMP. CIRCULAR SAW Durable steel shoe with depth adjustment

- and adjustable bevel stops at 0° and 45°
- Comes with 24 tooth carbide tipped blade, arbor hex. key and adjustable edge guide

VARIABLE SPEED RECIPROCATING

8354

- Variable speed 800-3000 SPM
- Tool-less blade clamp system
- Accepts standard 1/2" shank blades (1.5 mm) Comes with a wood cutting blade, 1 metal cutting blad



3"X21" VARIABLE SPEED BELT SANDER

8356VS

- Belt speed 390-1250 FPM
- Highly efficient dust collection system
- · Comes with sanding belt and dust bag blade, arbor hex. key and adjustable edge guide

999 Powerful





JUMP STARTER // PERSONAL POWER SUPPLY

- Charge or power all electronic devices, USB 5V electronics, 12V accessories and 16V/19V laptops.
- This 13,600 mAh portable jump starter & power supply is able to jumpstart a V8 engine (5L) up to 15 times.

10" TABLE SAW

KC-5005R

- Powerful 15 amp, 4,800
- RPM ball bearing motor
 Blade tilts 0° to 45° for versatile angle cutting
- 26" x 19" heavy-duty cast aluminum table
- · Comes with rip fence, miter gauge, push stick and wrenches







4000W GASOLINE DIGITAL INVERTER GENERATOR

KCG-4000i

- · Sine wave digital inverter generator provides stable current to power voltage-sensitive
- electronics
 DC USB port: 5V/2.1
- Amp. DC cigarette lighter socket: 12V/8 Amp.
- DC output

 AC duplex outlet: 120V/20 Amp. AC output
- AC twist lock outlet: 120V/30 Amp. AC output







CORDLESS DRILL



SINGLE PLATFORM BATTERY SYSTEM



2 - 20V MAX LITHIUM-ION BATTERY AND CHARGER INCLUDED

CORDLESS 4 1/2" ANGLE GRINDER 8035L

20V MAX LITHIUM-ION **BATTERY & CHARGER SOLD SEPARATELY**



20V MAX LITHIUM-ION KW-150 BATTERY & CHARGER REPLACEMENT 9,99
SOLD SEPARATELY
6-1/2" BLADE

20V/MAX LITHIUM-ION BATTERY K-020LBT 1.5 Ah 20V MAX

Li-ion Battery

\$39.99



CORDLESS IMPACT & DRIVER COMBO KIT 8020L//8022LK

2 - 20V MAX LITHIUM-ION **BATTERY AND CHARGER INCLUDED**



20V MAX LITHIUM-ION **BATTERY & CHARGER SOLD SEPARATELY**

CORDLESS IMPACT DRIVER 80551

\$69.99

20V MAX LITHIUM-ION **BATTERY & CHARGER SOLD SEPARATELY**

20V/MAX LITHIUM-ION BATTERY

K-023LBT-3 3 Ah 20V MAX Li-ion Battery



CORDIESS RECIPROCATING SAW

20V MAX LITHIUM-ION BATTERY & CHARGER SOLD SEPARATELY



20V MAX LITHIUM-ION **BATTERY & CHARGER SOLD SEPARATELY**

CORDLESS LED FLASHLIGHT K-022LF

20V MAX LITHIUM-ION BATTERY & CHARGER SOLD SEPARATELY

20V/MAX/LITHIUM-ION CHARGER

K-020LCG

20V MAX Li-ion charger

CORDLESS LED WORK LIGHTS

KC-1202LED-C 10W Work liaht emits 1200 lumens

CORDLESS



KC-1201LED KC-2401LED

10W Work liaht emits 1200 lumens

Remote control

20W work liaht emits 2400 lumens

KC-3601LED

30W work light emits 3600 lumens





Quick release latch

For indoor and outdoor use in dry locations

> KC-3602LED-ST Emits 7200 lumens

• Quick release latch

• For indoor and outdoor use in dry locations

