



RE-TOOL YOUR METAL SHOP

THIS SPRING & SUMMER
2020

Proudly Canadian



KING
INDUSTRIAL

35+
Since 1983

**29 PC. TITANIUM
DRILL BIT SET**
KDB-29T
29 (1/16"-1/2" x 1/64")
\$29.99

17" DRILL PRESS

**17" DRILL PRESS
with SAFETY
GUARD &
LIMIT SWITCH**



**DRILL PRESS
CHUCK SAFETY
GUARD**
KM-118
Fits KC-118FC, KC-118FC-LS

KC-118FC

- 12.5 Amp. motor
- 16 speeds
240-3400 RPM)
- 17" swing
- 3 1/4" stroke
- 5/8" chuck

\$625.

KC-118FC-LS

- 12.5 Amp. motor
- 16 speeds
(240-3400 RPM)
- 17" swing
- 3 1/4" stroke
- 5/8" chuck

\$725.

5 PC. ACCESSORY BONUS PACKAGE FREE

INCLUDED WITH THE PURCHASE OF A
PDM-30 MILLING DRILLING MACHINE
Includes: angle drill press vise, drill chuck
with key, drill chuck arbor, carbide
tipped face mill and face mill arbor

\$343.85

**MILLING DRILLING MACHINE with
SAFETY GUARD & LIMIT SWITCH**

PDM-30

- 16 1/2" swing
- 1 1/4" Drilling capacity
- 3" Face mill capacity
- 5" stroke
- Spindle taper R8
- 12 speeds
(150-2500 RPM)

\$2299.

OPTIONAL

**TABLE
POWERFEED
ATTACHMENT**
PFM-32
For # PDM-30

\$599.

**MILLING
DRILLING
MACHINE
STAND**
SS-45
Heavy-duty
steel construction

\$279.99



7" X 12" METAL CUTTING BANDSAW
KC-712BC

- 11.5 Amp. motor • Coolant system
- Adjustable ball bearing guides
- 4 speeds (85-130-180-235 FPM)

\$1399.



**5.5 PEAK HP 24 GALLON AIR
COMPRESSOR**
KC-3124V2

- 150 PSI max pressure
- 7.6 CFM @ 40 PSI
- 6.0 CFM @ 90 PSI

2 cylinder cast iron
single stage oil
lubricated pump

WOW
\$699.



**RETRACTABLE AIR HOSE
REEL WITH HYBRID
POLYMER AIR HOSE**
K-5038FRL

50 ft. x 3/8"

\$99.99

- All-Weather Flexibility (-40°C to 65°C)
- Comes with wall mounting hardware



ARCTIC FLEX



300 PSI MAXIMUM PRESSURE

HYBRID POLYMER INDUSTRIAL AIR HOSES						
Model	Length	Width	Blade Material	TPI	Thickness	Price
K-2514H	25'x1/4"					\$19.99
K-2538H	25'x3/8"					\$26.99
K-5014H	50'x1/4"					\$29.99
K-5038H	50'x3/8"					\$39.99
K-10014H	100'x1/4"					\$49.99
K-10038H	100'x3/8"					\$59.99

**MANUAL AIR HOSE
REEL WITH HYBRID
POLYMER AIR HOSE**
K-10014FRL

100 ft. x 1/4"

\$99.99

- 360° swivel base
- All-Weather Flexibility (-40°C to 65°C)



**DVR with Adaptive
Control™ Software**

BY: KING INDUSTRIAL

The Most
Innovative
Drill Press
EVER!

**18" NOVA VOYAGER
DVR DRILL PRESS**
58000

- Powerful direct drive 1.75 HP high torque motor with no pulleys or belts to cause vibration
- Spindle taper MT #2
- Digital Variable Reluctance (DVR) Direct Drive Technology with Adaptive Control™ Software
- Comes with 5/8" drill chuck & key, firmware USB cable, knock-out wedge, adjustment wrench and hex. keys

\$1999.



16" X 20" COMBO LATHE/MILL
KC-1620CLM

- Two powerful 3/4 HP 110V motors
- Lathe chuck and drill chuck safety guards with limit switch protection and standard tool post safety guard
- Comes with 5"-3 jaw chuck, imperial & metric change gears, quick change tool post with 1/2" capacity, steady rest, follow rest, thread chasing dial indicator, MT#3 & MT#4 dead centres, 1/2" drill chuck and tool box with adjusting tools

\$2999.



OPTIONAL

STAND
SS-1620CLM

(41-3/8" x 19-1/4" x 30-1/2")

\$299.

OPTIONAL

KM-124
Elevating block
with 7/16" T-slots

(7-7/8" x 5-7/8" x 5")



\$119.

5 PC. CUTTER HOLDER SETS
KM-046

3/8" Shank
Fits: KC-0712ML,
KC-1022ML,
KC-1620CLM

• H.S.S. cutters
• Kit comes in a wooden box

\$59.

AIR COMPRESSORS & ACCESSORIES

5.5 PEAK HP 20 GALLON AIR COMPRESSOR

KC-2051H2

- 150 PSI max pressure
- 7.6 SCFM @ 40 PSI
- 6.0 SCFM @ 90 PSI

WOW
\$599.



ASME safety valve

10 GALLON 6.5 HP GAS WHEELBARROW AIR COMPRESSOR

KC-6510G1

- 150 PSI max pressure
- 14.1 SCFM @ 40 PSI
- 11.2 SCFM @ 100 PSI
- High efficiency reed valves for maximum performance

\$799.



ASME safety valve

HIGH OUTPUT 7.5 PEAK HP 80 GALLON AIR COMPRESSOR

KC-7180V1-MS

- High output 30 CFM @ 100 PSI
- 150 PSI max pressure
- 43 SCFM @ 40 PSI
- 30 SCFM @ 100 PSI

2 cylinder cast iron
single stage oil
lubricated pump

\$3250.



Comes
with
magnetic
starter

ASME
safety
valve

SPRAY GUN KITS



8180 **\$29.99**



8182 **\$39.99**



8185 **\$49.99**



8190 **\$59.99**
HVLP



2 8195 **\$79.99**

71 PC. AIR TOOL KIT



8171
Comes with 1/2" Impact, Wrench,
3/8" Ratchet Wrench, Air Hammer
and 1/4" Die Grinder

\$129.99

TIRE INFLATION GUN WITH PRESSURE GAUGE

K-1630

\$19.99



COMPRESSOR OIL BOTTLE

KW-077

\$7.99 (850ml)



WET-DRY VACUUMS

Double filtration system

Double filtration system with pleated cartridge filter

8530LPN

- Convenient 12 ft. power cord
- Comes complete with 6 ft. x 1-1/4" hose, 2 pc. plastic extension wand, 30L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool

\$79.99

Tank
water
drain



4 PEAK HP 8 30 LITERS GALLON US

8540LST

- 12 ft. power cord
- Comes complete with 6 ft. x 1-1/4" hose, 2 pc. extension wand, 40L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool

\$149.99

Tank
water
drain



5 PEAK HP 10 40 LITERS GALLON US

8560LST

- 18 ft. power cord
- Comes complete with 8 ft. x 2-1/2" flex hose, 2 pc. 2-1/2" extension wand, contoured handle with air control, cartridge filter, foam filter, 14" floor sweep with squeegee insert, gulper tool, crevice tool and hanging accessory storage bag

\$249.99

Tank
water
drain



6.5 PEAK HP 16 60 LITERS GALLON US

HEPA CARTRIDGE FILTER

KVAC-1145

FITS: 8520LP, 8530LP,
8531LP-B, 8540LST,

\$25.

KVAC-1150

Fits: 8560LST

\$25.



PREMIUM HYBRID POLYMER GARDEN HOSES

K-5058GH
5/8" x 50 ft.

\$39.99

K-10058GH
5/8" x 100 ft.

\$69.99



150 PSI (Working) / 450 PSI (Burst)
Extreme All-Weather Flexibility Kink resistant

3" X 79" METAL BELT SANDER

KC-379MS

- Sanding belt rotates on 7-1/2" vented drive wheel and solid rubber rear wheel for maximum tracking and sanding control
- Head pivots up or down on base for easy and safe work heights
- Horizontal working height of 36"



Hinged top cover for access to entire length of belt for larger pieces



3" x 79" PURE ZIRCONIA SANDING BELTS

Model	Belt Size	Grit	Unit	Price
SB-379-60	3"x79"	60	1	\$18.99
SB-379-80	3"x79"	80	1	\$18.99
SB-379-120	3"x79"	120	1	\$18.99

DIGITAL FRACTIONAL CALIPER

KM-106

- Converts to inches (decimal and fractional) and metric readings
- Waterproof to IP54 standards
- Two 3V Lithium batteries included



\$29.99

FIREPROOF 3" METAL DUST COLLECTION HOSES KIT

KM-102

Kits Includes: 2 - 8ft. (2.5M) 130° Fireproof hoses
4 - Wire hose clamps (3")



\$69.99

2 HP METAL DUST COLLECTOR

KC-7300C

- Powerful 2 HP, 220V motor
- 2 Step activation safety switch with line voltage interruption in case of power failure
- Ideal for collection of metal chips and abrasive dust produced by metal sanders, grinders, cold cut saws, deburring and chamfering machines
- Large metal chips collection drawer is easy to access and clean
- 6" inlet with Y-inlet adaptor with two 3" dust inlets allowing up to connect up to two metalworking machines
- Comes with large paper filter and iron activated carbon filter



\$1349.

Comes with Canadian made 80 Grit pure zirconia sanding belt




2 HP (220V)

\$959.

MAGNETIC SWITCHES



Comes with twist lock emergency stop button



Comes with padlock and 2 spare keys

\$89.99

KMAG-110-811	110V (8-11 Amp.)
KMAG-110-1114	110V (11-14 Amp.)
KMAG-110-1417	110V (14-17 Amp.)
KMAG-220-811	220V (8-11 Amp.)
KMAG-220-1114	220V (11-14 Amp.)
KMAG-220-1417	220V (14-17 Amp.)
KMAG-220-1721	220V (17-21 Amp.)

WET/DRY SHARPENER

KC-4500S

- Forward/reverse switch allows the wheel to rotate in both directions
- 220 Grit wheel runs at 170 RPM



\$74.99

BENCH GRINDERS

8" LOW SPEED BENCH GRINDER WITH LIGHT

KC-895LS

Powerful 1/2 HP, 1,750 RPM motor



\$129.99

BENCH GRINDER STAND

SS-150

- Made of cast iron with coolant reservoir
- 32 3/4" high



\$59.99

KC-690

- 3.5 Amp. motor
- 3500 RPM



\$99.99

KC-890

- 7 Amp. motor
- 3450 RPM



\$299.99

KC-1090

- 14 Amp. motor
- 1720 RPM



\$74.99

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND

KC-1295

- Robust cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection
- Comes complete with floor stand, builtin cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels



1.5 HP Direct Drive Motor (220V)

\$1299.

METAL FORMING MACHINES

16 GAUGE BOX AND PAN

KC-BP4816

- Bending length 48 1/2"
- Capacity 16 Gauge
- Weight 380 lbs

\$1199.

NEW HEAVIER DUTY MODEL

52" FOOT SHEAR

KC-F5216

- Cutting length 52"
- Capacity 16 Gauge
- Weight 1080 lbs

\$2299.

SLIP ROLLS

KC-S5016

- Max. length 50"
- Capacity 16 Gauge
- Weight 540 lbs

\$1449.

KC-S3622

- Max. length 36"
- Capacity 22 Gauge
- Weight 176 lbs

\$649.

KC-S2422

- Max. length 24"
- Capacity 22 Gauge
- Weight 81 lbs

\$549.

COMBINATION ROTARY MACHINE

KC-RM22

- Cutting capacity (mild steel): 22 Gauge
- Distance between shaft centers: 2"
- Depth of throat to frame: 7"
- Includes 6 dies for hooking (2), burring, wiring, ogee beads and crimping

\$699.

ARBOR PRESS

KAP-3

- Precision cut steel rams and pinions for accurate operation
- Capacity: 3 Ton
- Diameter of work: 12 1/2"
- Capacity over table: 12"

\$389.99

3 IN 1 METAL FORMING MACHINES



SHEAR, BRAKE AND ROLL

KC-1220

- Max. length 12"
- Maximum thickness 20 Gauge
- Weight 95 lbs

\$459.

KC-3020

- Max. length 30"
- Maximum thickness 20 Gauge
- Weight 300 lbs

\$899.

KC-4020

- Max. length 40"
- Maximum thickness 20 Gauge
- Weight 387 lbs

\$1259.

FLOOR MODEL BOX AND PAN BRAKE

KC-BP4812

- Bending length 48"
- Capacity 12 Gauge
- Weight 1140 lbs



\$3799.

12" HAND SHEAR

KC-HS12

- Level arm with compensating spring
- Easy cutting across the entire length
- Rigid cutter body

\$199.99

4 TON HAND NOTCHER

KC-N616

- Heavy cast-iron construction
- 16 Gauge notching capacity (mild steel)
- 18 Gauge piercing capacity (mild steel)
- Maximum notch (6" X 6" x 90°)
- Weight 165 lbs

\$699.

MILLING DRILLING MACHINES & ACCESSORIES

17" LONG STROKE DRILL PRESS with SAFETY GUARD



LONG STROKE

KC-119FC-LS

- 12.5 Amp. motor
- 12 speeds
- Spindle taper MT #3 (255-2750 RPM)
- 16 15/16" swing
- 6" stroke

\$999.



21" GEARHEAD DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH



KC-40HS (220V)
KC-40HS-6 (600V)

- 1.5 HP Motor
- Forward & Reversing Switch
- 1 1/4" Drilling Capacity
- 20 7/16" Swing
- Spindle Taper MT#3
- 6 Speeds (60-1500 RPM)
- Face Mill Capacity 4"
- End Mill capacity 3/4"

\$4299.

22" DRILL PRESS



DRILL PRESS CHUCK SAFETY GUARD
KM-122
Fits KC-122FC

\$19.99

KC-122FC

- 12.5 Amp. motor
- 1 1/4" capacity
- Spindle taper MT #4
- 12 speeds (180-4200 RPM)
- 4 3/4" stroke
- 3/4" chuck

\$1049.



21" GEARHEAD DRILLING/MILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH



KC-40HC (220V)
KC-40HC-6 (600V)

- 1.5 HP Motor
- Forward & Reversing Switch
- 1 1/4" Drilling Capacity
- 20 7/16" Swing
- Spindle Taper R-8
- 6 Speeds (60-1500 RPM)
- Face Mill Capacity 4"
- End Mill capacity 3/4"
- Working surface of table 23"x 7 1/2"

\$4999.

22" DRILL PRESS with SAFETY GUARD & LIMIT SWITCH



KC-122FC-LS

- 12.5 Amp. motor
- 1 1/4" capacity
- Spindle taper MT #4
- 12 speeds (180-4200 RPM)
- 4 3/4" stroke
- 3/4" chuck

\$1149.



28" GEARHEAD DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH




KC-50

- 2 HP motor
- 27 1/2" swing
- 7" stroke
- Speeds (60-870 / 120-1740)
- 1 1/2" capacity
- Spindle taper MT#4
- 5/8" Chuck & key included

\$5199.

15" VARIABLE SPEED INDUSTRIAL DRILL PRESS



Variable speed handwheel with digital readout

Safety guard with limit switch protection

Long 6" stroke

KC-30HS-VS

- Powerful 1 HP motor
- E-stop 2 step activation safety switch with line voltage interruption in case of power failure
- variable speeds: 400-5,000RPM
- Comes with 5/8" drill chuck, chuck key and adjustment hex. keys

\$2299.

RADIAL DRILLING MACHINE WITH SAFETY GUARD



KC-35/SS-35

- 1.5 HP Motor
- 21 1/4" Max. distance spindle nose to table
- 38 1/2" swing
- MT #3 Spindle taper
- Speeds 5(340-3000 R.P.M.)
- 5 1/4" Spindle stroke
- 4 1/2" Column diameter
- 21 5/8" x 19 5/8" Table dimensions
- 14" Head travel
- 5/8" Size of T-Slot on table
- Complete with forward reverse switch, 1/2" chuck with key, safety guard and stand

\$3999.

DRILL PRESS VISE

3"- KPV-3 **\$15.99**

4"- KPV-4 **\$19.99**

5"- KPV-5 **\$29.99**

6"- KPV-6 **\$39.99**

52 PC. CLAMPING KITS

KCL-5212 **\$89.99**
Fits 1/2" table slots

KCL-52 **\$89.99**
Fits 5/8" table slots

CROSS SLIDE VISES

- Extremely versatile
- Makes lateral or longitudinal adjustments simple

4" - KCV-4N **\$59.99**

5" - KCV-5N **\$79.99**

6" - KCV-6N **\$99.99**

KEYLESS DRILL CHUCKS

KDC-12X **\$69.99**
1/2"JT#33

KDC-58X **\$79.99**
5/8"JT#3

KDC-34X **\$119.99**
3/4"JT#4

COMPOUND SLIDE TABLES

KCT-512 **\$179.99**
5 1/2" X 12"
1/2" T- slots

KCT-618 **\$199.99**
6" X 18 1/2"
1/2" T- slots

20 PC. TITANIUM COATED END MILL SET

KM-120 TITANIUM NITRIDE COATED HIGH SPEED STEEL **\$169.99**

2 & 4 Flute (10pcs. each)
Imperial, Single End

12" SLOW SPEED COLD CUT SAW

KC-315CS

- 4.5 HP motor
- Low 52 RPM blade speed is ideal for cutting ferrous metals
- Mitering head pivots to the right or left with positive stops at 45° and 90°

Blade not included

OPTIONAL
12" COLD CUT
SAW BLADE
KM-1200
(Made in Italy)

\$299.



\$2799.

MILLING DRILLING MACHINES



Column tilts 45° to the right or left

MINI MILLING DRILLING MACHINE

KC-15VS

- Powerful 3/4 HP single phase DC motor
- Variable speed gear drive
- Spindle depth fine feed control with micro downfeed dial
- Adjustable depth stop
- Rubber chip guards on ways
- Chuck guard
- Emergency stop button
- Comes with 1/2" chuck, chuck key, R8-JT#33 chuck arbor, chuck guard, 2 T-slot nuts, oil bottle, adjustment wrenches and hex. keys



\$999.99

MILLING DRILLING MACHINE WITH DIGITAL READOUT, SAFETY GUARD & LIMIT SWITCH

KC-20VS-2

- 1 HP Motor
- 13" Max. distance spindle nose to table
- 13" swing
- R8 Spindle taper
- 2" Spindle stroke
- Speeds 2(50-1125 / 100-2250 RPM)
- 7 1/16" x 27 1/2" Table dimensions
- 1/2" Size of T-Slot on table
- Comes with 1/2" chuck, chuck key, R8 chuck arbor, safety guard, 2 T-bolts, oil bottle, adjustment wrenches, hex. keys and tool box



HEADS TILTS 90° TO THE LEFT AND RIGHT

OPTIONAL MILLING DRILLING MACHINE STAND

SS-20VS

Heavy-duty steel construction

\$279.99

\$1999.

DIVIDING PLATES FOR ROTARY TABLE

KC-DPRT-6

Size 6"

KC-DPRT-8

Size 8"

\$129.99

HORIZONTAL & VERTICAL ROTARY TABLES

KC-HVRT-6

Size 6"

KC-HVRT-8

Size 8"

\$379.

\$569.

K-TYPE SWIVEL BASE MILLING VISES

3"- 4"- 6"- 8"-
KMV-3M KMV-4M KMV-6M KMV-8M
\$99. \$149. \$199. \$299.

TAILSTOCK FOR ROTARY TABLE

KC-TRT-6

Fits: KC-HVRT-6,
KC-HVRT-8

\$129.99

18 PC. COLLET SETS

Includes straight shank, 15 collets, wrench and plastic case.

KCS-4015

- Straight shank taper ISO 40
- Draw Bar 5/8" WII

KCS-R8-15

- Straight shank taper R8
- Draw Bar 7/16" NF 20



\$379.99

VERTICAL TURRET MILLING MACHINE

1050VS

- 5 HP Motor • ISO-40 Spindle taper
- Size of table 10" x 50" • Table travel 36"
- Saddle travel 16 1/2" • Knee travel 16"
- Quill travel 5" • 2 speed variable speed drive (70-500, 600-4200 RPM)
- Max. distance spindle to table 18"
- Distance spindle to column 24"
- Quill power feed (.0015", .003", .006")
- Ram movement 24"

\$13999.

TURRET HEAD SWIVELS 360°

5.2 Amp (600V)




INCLUDED

TABLE POWERFEED ATTACHMENT (550 LBS TORQUE) LONGITUDINAL

FAGOR DIGITAL READOUT SYSTEMS

20i-M-1836 **\$1799.** 30i-M-183616 **\$2499.**

(Fits 1050VS)
2 AXIS with
18" x 36" scales




(Fits 1050VS)
3 AXIS with
18" x 36" x 16" scales



GEARHEAD MILLING DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

KC-45

- 1.5 HP Motor
- Forward & Reversing Switch
- 20 7/16" Swing
- 5" Stroke
- 6 speeds (60-1500 RPM)
- 9 1/2" X 32 1/4" Table
- 1 1/4" Drill capacity
- 4" Face mill capacity
- Spindle taper R8



LINE INTERLUPTION

OPTIONAL

TABLE POWERFEED ATTACHMENT

PFM-32

For # KC-45

\$599.

OPTIONAL MILLING DRILLING MACHINE STAND

SS-45

Heavy-duty steel construction



\$4999.

METAL LATHES & ACCESSORIES

7" X 12" VARIABLE SPEED MINI METAL LATHE

KC-0712ML

- 3/4" spindle bore
- Variable speeds 2 (0-1100, 0-2500 RPM)
- Comes complete with quick change gear box, face plate, steady rest, replacement gears, 4-way tool post, MT#2 dead center, threading dial indicator, 4"-3 jaw chuck, emergency stop button, chuck key and hex. keys

\$999.99

5.5 Amp
(110V)



10" X 22" BELT DRIVE METAL LATHE

KC-1022ML

- 1" spindle bore
- Spindle speeds 6 (150-2400) RPM
- Comes complete with 5"-3 jaw chuck, 6-1/2"-4 jaw chuck, replacement gears, 4 way tool post, steady rest, follow rest, 8" face plate, thread chasing dial indicator, MT#3 dead center, full length splash guard, tool box, chuck key and hex. keys

\$2599.

12 Amp
(110V)

**OPTIONAL
CABINET
STAND
SS-1022**



\$279.99



12" X 36" GEARHEAD METAL LATHE

- 1 1/2" spindle bore
- Spindle speeds 9 (60-1500) RPM
- 40(4-112 T.P.I.) 30(2 - 4.5mm) thread cutting
- Comes complete with 6"-3 jaw chuck, 8"-4 jaw chuck, imperial and metric gears, quick change tool post, steady rest, follow rest, 10" DI-4 camlock face plate, thread chasing dial indicator, MT#3 dead center, MT#3 arbor taper, 1/2" drill chuck, full length splash guard, tool box, chuck keys and hex. keys

KC-1236ML/SS-1236

\$4699.

1.5 HP
(220V)



WITH TAPER ATTACHMENT

KC-1236ML/KM-053/SS-1236

\$5199.

**BONUS
CABINET STAND
INCLUDED**

14" X 40" GEARHEAD METAL LATHE


- Spindle speeds 8(70-2000 RPM)
- 34(4-56 T.P.I.) 26(4 - 7mm) thread cutting
- Comes complete with 6"-3 jaw chuck, 8"-4 jaw chuck, replacement gears, quick change tool post, steady rest, follow rest, 12" DI-4 camlock face plate, coolant system, full length splash guard, thread chasing dial indicator, 2 MT#3 dead centers, JT#5-MT#3 sleeve, chip tray, tool box, halogen lamp, chuck keys, hex. keys, and cabinet stand with foot brake

KC-1440ML-2

\$6899.

2" Spindle Bore

2 HP
(240V)



WITH TAPER ATTACHMENT

KC-1440ML-2/KM-054

\$7399.

**CABINET STAND WITH
FOOT BRAKE INCLUDED**

16" X 40" HIGH PRECISION "TOOL ROOM" METAL LATHE

- Spindle speeds 16(45-1800 RPM)
- 2" spindle bore diameter
- 45(2-72 T.P.I.) thread cutting
- Comes complete with 8"-3 jaw chuck with inside & outside jaws, 12"-4 jaw chuck, quick change tool post and two 3/4" tool holders, steady and follow rests with roller guides, 14" (DI-6) camlock face plate, MT #4 standard dead centre, MT #4 carbide tipped dead centre, MT #4 to MT #6 spindle sleeve adapter, halogen light, coolant system, full length splash guard, manual micrometer carriage stop, tool box and wrenches

KC-1640ML

\$12999.

4 HP
(600V)



WITH TAPER ATTACHMENT

KC-1640ML/KM-055

\$13599.

**CABINET STAND WITH
FOOT BRAKE INCLUDED**

7 PC. CARBIDE CUTTER HOLDER SETS

- 1/4" Carbide Steel 2 position Cutter Tips (5pcs.)
- Carbide Steel Inserts (2pcs.)

**INCLUDED
Screwdriver and
3 adjustment keys**



KM-047
3/8" Shank

\$189.



KM-057
5/8" Shank

\$199.

Fits Models:
KC-0712ML, KC-1022ML

Fits Models:
KC-1236ML, 14440ML-6
KC-1640GH, KC-1640ML
KC-1660GH

LIVE CENTERS



**Very
Accurate**

KLC-2M
TAPER SHANK - MT#2

\$59.99

KLC-3M
TAPER SHANK - MT#3

\$79.99

TAPER ATTACHMENT



**Taper Attachment must be
ordered together with Lathe**

These Taper Attachments are designed
to fit our 12" x 36", 14" x 40" & 16" x 40"
Metal Lathes models

KC-1236ML, KC-1440ML-6 & KC-1640ML

7 PC. QUICK CHANGE TOOL POST KITS



KQCT-0012

Fits most lathes up
to 0 to 12" swing

\$259.99

KQCT-1015

Fits most lathes between
10" to 15" swing


\$299.99

KQCT-1318

Fits most lathes between
13" to 18" swing

\$419.99

FAGOR DIGITAL READOUT SYSTEM



20i-T-840

(Fits KC-1440ML-6
& KC-1440ML-2)

20i-T-1040

(Fits KC-1640ML)

**2 AXIS with
8" x 40" scales**

\$1999.

**2 AXIS with
10" x 40" scales**

\$2199.

METAL CUTTING BANDSAWS

5" x 6" METAL CUTTING BANDSAW

KC-129C

- 3 speeds (80-120-200 FPM)
- Comes with wheels for portability

**8 Amp
(110V)**

\$519.



H.S.S. & BI-METAL BLADES						
Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-115-10	64 1/2"	1 1/2"	H.S.S.	10	.025"	\$14.99
KBB-115-14	64 1/2"	1 1/2"	H.S.S.	14	.025"	\$14.99
KBB-115-18	64 1/2"	1 1/2"	H.S.S.	18	.025"	\$14.99
KBB-115-24	64 1/2"	1 1/2"	H.S.S.	24	.025"	\$14.99
KBB-115-BM-10	64 1/2"	1 1/2"	Bi-Metal	10	.025"	\$34.99
KBB-115-BM-14	64 1/2"	1 1/2"	Bi-Metal	14	.025"	\$34.99
KBB-115-BM-18	64 1/2"	1 1/2"	Bi-Metal	18	.025"	\$34.99

5" x 6" DUAL SWIVEL METAL CUTTING BANDSAW

KC-129DS

- Head swivels 0° - 45° to the right and 0° - 60° to the left
- Adjustable hydraulic downfeed control
- Automatic shut-off switch
- Adjustable ball bearing guides
- Portable design for easy movement

**ADJUSTABLE
HYDRAULIC
CYLINDER**

**8 Amp
(110V)**

\$859.



10" x 18" METAL CUTTING BANDSAW

KC-227-2 (220V)

KC-227-6 (600V)

- 4 speeds (114, 196, 288, 377 FPM)
- Carbide ball bearing blade guide
- Centralized control panel and automatic shut-off
- Adjustable hydraulic downfeed control
- To ensure reliable accurate cuts, both adjustable control arms can be positioned as close to the cut as possible
- Coolant system with regulator valves provide an even flow of coolant to the blade

H.S.S. BLADES					
Model	Length	Width	TPI	Thickness	Price
KBB-225-10	122"	1"	10	.032"	\$34.99
KBB-225-14	122"	1"	14	.032"	\$34.99


\$4499.



**PATENTED
TRU-LOCK** quick locking vise system. Fully adjustable jaws for 0° to 45° angled cuts

**Exclusive
24 Volt
control
panel**

**11.5 Amp @ 220V
2.6 Amp @ 600V**



10" x 18" VARIABLE SPEED SWIVEL METAL CUTTING BANDSAW

KC-228S-V-2 (220V)

KC-228S-V-6 (600V)

- Variable Speeds (73-312 FPM)
- Carbide ball bearing blade guides
- Adjustable hydraulic downfeed control
- Swivel base from 0° to 45°
- Coolant system with regulator valves provide an even flow of coolant to the blade

H.S.S. BLADES					
Model	Length	Width	TPI	Thickness	Price
KBB-225-BM-610	122"	1"	6-10	.032"	\$99.99
KBB-225-BM-812	122"	1"	8-12	.032"	\$99.99

\$6199.

**11.5 Amp @ 220V
2.6 Amp @ 600V**

**PATENTED
TRU-LOCK** quick locking vise system. Fully adjustable jaws for 0° to 45° angled cuts

**Exclusive
24 Volt
control
panel**



METAL CUTTING BANDSAWS

7" x 12" METAL CUTTING BANDSAW WITH GEAR DRIVE

KC-712GH-5

- Returning coolant system
- 3(110-230-340 FPM)
- Automatic shut-off
- Adjustable ball bearing guides

PATENTED GEAR DRIVE SYSTEM...

is the ONLY one in the Canadian market which allows the user to change speeds without stopping the machine.

PATENTED TRU-LOCK quick locking vise system

\$1999.

14 Amp. (110V)

9" x 18" METAL CUTTING SWIVEL BANDSAW

KC-918S-V

- Speeds (80-250 FPM)
- Carbide ball bearing blade guides with rollers
- Centralized control panel and automatic shut-off
- Adjustable hydraulic downfeed control
- Precision blade tension adjustment
- Head swivels 0° to 45° in one direction
- Quick-positioning vise with fully adjustable jaws for 0° to 45° angles

Coolant system Included

VARIABLE SPEED



8 Amp. (220V)

H.S.S. & BI-METAL BLADES ("SKIP TOOTH")						
Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-918-10	131 3/4"	1"	H.S.S.	10	.032"	\$34.99
KBB-918-14	131 3/4"	1"	H.S.S.	14	.032"	\$34.99
KBB-918-BM-610	131 3/4"	1"	Bi-Metal	6-10	.032"	\$99.99
KBB-918-BM-812	131 3/4"	1"	Bi-Metal	8-12	.032"	\$99.99

\$6399.

7" x 12" DUAL SWIVEL METAL CUTTING BANDSAW

KC-712DS

- Returning coolant system
- 4 speeds (98-164-246-328 FPM)
- Automatic shut-off
- Adjustable ball bearing guides

6 Amp. (220V)

PATENTED TRU-LOCK quick locking vise system

\$2799.



17" VARIABLE SPEED METAL/WOOD CUTTING BANDSAW

KC-1700WM-VS

- Variable speeds (wood): 540-3600 SFPM
- Variable speeds (metal): 100-650 SFPM
- Voltage (input power): 220V, 1 phase, 60 Hz
- Comes with a 1/2" x 6 TPI wood cutting blade, 1/2" x 10 TPI metal cutting blade, laser guide, work lamp, miter gauge and a precision "TRU-RIP" aluminum rip fence with resaw guide

18" METAL CUTTING BANDSAW

KC-450

- Variable speed
- Handwheel controls speed
- Speed changes while the machine is in operation
- Comes complete with 4-way tilting table, and work light



23 1/2" x 17" cast iron table
Tilts 5° to the left & 45° to the right

2 HP (8 Amp. @ 220V)

\$3799.



7.5 Amp. (220V)

\$4999.

GENERATOR HOME CONNECTION KIT **NEW**

K-X7500

\$99.99

Outdoor to indoor receptacle kit

Comes with 6 outlet power panel, generator power inlet box, 1/2" rigid PVC conduit, 1-1/4" spade bit, 1/2" PVC sleeve connector, 2 insulating gaskets and mounting hardware

K-L1 430-25-EXT

Extension cord length: 25 feet
Gauge (AWG)/Cord: 10 (SJTW 4/C)
Female receptacle with lighted end

\$79.99

50 AMP. GENERATOR ADAPTOR CORD

Nema 14-50P 120/240V plug to Nema L14-30R 120/240V twist lock receptacle

K-1450P-2

Cord length: 1.5 feet

Gauge (AWG)/Cord: 10 (SJTW 4/C)

\$59.99

Female receptacle with lighted end

GENERATOR EXTENSION CORDS

Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles

K-L1 430-10

Extension cord length: 10 feet

Gauge (AWG)/Cord: 12 (SJTW 4/C)

\$29.99

K-L1 430R-25

Extension cord length: 25 feet

Gauge (AWG)/Cord: 10 (SJTW 4/C)

\$79.99

K-L1 430-25-4T

Extension cord length: 25 feet

Gauge (AWG)/Cord: 10 (SJTW 4/C)

\$79.99

2000W GASOLINE DIGITAL INVERTER GENERATOR

KCG-2001i

- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- Powerful 3 HP, 4 stroke air cooled OHV engine DC output for charging smartphones, tablets or any USB powered equipment
- DC Cigarette Lighter Socket: 12V/8 Amp DC output
- AC Duplex Outlet: 120V/13.3 Amp AC output

WOW

\$649.99

Comes with USB port

Optional

K-X2P

Parallel Cable Kit for connectivity between two inverters

\$99.99

4000W GASOLINE DIGITAL INVERTER GENERATOR

KCG-4000i

- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- DC USB port: 5V/2.1 Amp.
- DC cigarette lighter socket: 12V/8 Amp. DC output
- AC duplex outlet: 120V/20 Amp. AC output
- AC twist lock outlet: 120V/30 Amp. AC output

Comes with USB port

USB

Remote control start

\$1149.99

Powerful 7.5 HP, 4 stroke air cooled OHV engine

PORTABLE & GASOLINE GENERATORS & ACCESSORIES

950W PORTABLE GENERATOR

KCG-951G

- Powerful 2 HP, 2 stroke air cooled motor
- Brushless alternator and electronic ignition
- Outlet: 120V/6.7 Amp. AC output
- Outlet: 12V/5.3 Amp. DC output
- AC and DC circuit breakers and reset buttons for safe operation
- Comes with DC cables and spark plug socket
- CSA & EPA approved

\$185.99

1800W GASOLINE GENERATOR

KCG-1501GX

- Powerful 3 HP, 4 stroke air cooled OHV engine
- Electronic ignition
- Low oil shut-off with indicator light protects the engine
- Duplex Outlet: 120V/11.6 Amp. AC output
- Terminals: 12V, 8 Amp. DC output
- AC and DC circuit breakers for safe operation
- Comes with DC cables and spark plug socket
- Easy start recoil starter
- CSA & EPA approved

\$325.

5100W GASOLINE GENERATOR WITH WHEEL KIT

KCG-5100G

- Powerful 8 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Duplex outlet: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- AC double throw circuit breaker and resets for safe operation
- Easy start recoil starter
- Voltage switch and ground terminal
- Wheel kit includes 8" wheels and pivot handle
- CSA & EPA approved

NEW

WOW

\$449.99

6500W GASOLINE GENERATOR WITH ELECTRIC START & WHEEL KIT

KCG-6502GE

- Powerful 10 HP, 4 stroke air cooled motor
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Duplex outlet: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- AC double throw circuit breaker and resets for safe operation
- CSA & EPA approved

NEW

WOW

\$699.99

8500W GASOLINE GENERATOR WITH ELECTRIC START & WHEEL KIT

KCG-8500GE

- Powerful 15 HP, 4 stroke air cooled motor
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Two twist lock outlets: 120V/30 Amp. and 120V/240V/30 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets for safe operation
- CSA & EPA approved

\$879.99

12000W GASOLINE GENERATOR WITH ELECTRIC START & WHEEL KIT

KCG-12000GE

- Powerful 18 HP, 4 stroke air cooled motor
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets
- CSA & EPA approved

NEW

WOW

\$999.99



GASOLINE WATER PUMPS

- 105" (KCG-2WPG) or 92" (KCG-3WPG) total head lift (total height at sea level, to which water can be raised above original water level)

NEW Powerful 7 HP, 4 stroke air cooled OHV engine
2" NPT inlet and outlet



KCG-2WPG
\$299.99



- Oil sensor shuts off engine when oil level is low
- Comes with 3 wire clamps, 2 hose adapters, 2 rubber gaskets, strainer basket and strainer basket adapter

NEW Powerful 7 HP, 4 stroke air cooled OHV engine
3" NPT inlet and outlet



KCG-3WPG
\$349.99



GASOLINE ENGINES


- Ideal for compressors, generators, pressure washers, go-karts and log splitters
- Counterclockwise drive shaft direction

KCG-65
Powerful 6.5 HP, 4 stroke air cooled OHV engines
\$189.99

KCG-130
Powerful 13 HP, 4 stroke air cooled OHV engines
\$379.99

WATER PUMP HOSE KITS

Each hose kit comes with a type A threaded camlock adaptor



\$99.99 **\$169.99** **\$69.99** **\$99.99**
KW-252 2" X 25 ft KW-253 3" X 25 ft KW-502 2" X 50 ft KW-503 3" X 50 ft

15,000W V-TWIN GASOLINE GENERATOR WITH ELECTRIC START

KCG-15000GE
• AVR system and electronic ignition
• Two duplex outlets: 120V/20 Amp. AC
• Twist lock outlet: 120V/30 Amp. AC
• Outlet: 120V/240V/50 Amp. AC
• AC double throw circuit breaker and resets
• Terminals: 12V/8.3 Amp. DC with DC reset
• CSA & EPA approved

Powerful 20 HP, V-Twin horizontal shaft 4 stroke air cooled OHV engine

AUTO-IDLE DOWN FUNCTION



\$2199.99

ELECTRIC START BATTERY INCLUDED

3000 PSI GASOLINE HIGH PRESSURE WASHER

KPW-3001FM
• 3000 PSI, 2.3 GPM maximum water flow
• Thermal relief valve on pump to protect against overheating
• 25' high pressure hose and inlet hose quick connect coupling
• Comes with 10" pneumatic wheels for portability and 4 quick connect nozzles (0°, 15°, 25°, 40° and detergent)

7 HP



\$439.99

14" CUT-OFF SAW

8342LN

- Large trigger switch in handle for safe and easy use
- Standard 14" abrasive wheel for cutting ferrous metal
- Quick release vise for holding workpiece, which allows cuts up to a 45° angle

\$149.99

INFRARED DIGITAL THERMOMETER WITH LASER POINTER

K-550
Temperature range
(-50°C ~ 550°C)
(-58°F ~ 1022°F)

\$39.99



(15 Amp. Motor)



PORTABLE VARIABLE SPEED METAL CUTTING BANDSAW

KC-8377

- Variable speed dial for 0-420 SFPM
- Cutting capacity of 5" x 5"
- Blade tension lever for quick adjustments
- Comes with standard 44-7/8" x 1/2" x 0.025" 14 TPI metal cutting blade

Optional

Miter Stand turns this Bandsaw into a Cut-off Saw
SS-8377



\$79.99



\$199.99

H.S.S. BLADES

Model	Length	Width	TPI	Thickness	Price
KBB-8376-BM-1014	44 7/8"	1 1/2"	10-14	.020"	\$19.99
KBB-8376-BM-1418	44 7/8"	1"	14-18	.020"	\$19.99

PALLET TRUCKS

KC-2145N-NYL (21" X 45")
Nylon wheels

\$399.99

KC-2748N-NYL (27" X 48")
Nylon wheels

\$399.99

KC-2748NP (27" X 48")
Poly wheels

\$399.99



3 position control handle

Max. raised height of forks 7 1/2"


Min. height of forks 2.95"

QUICK RELEASE FOOT PEDAL

QUICK RELEASE FOOT PEDAL

5500 LBS CAPACITY

LED WORK LIGHTS



KC-2402LED-ST
Emits 4800 lumens
• Quick release latch
• For indoor and outdoor use in dry locations

KC-3602LED-ST
Emits 7200 lumens
• Quick release latch
• For indoor and outdoor use in dry locations

\$129.99

\$199.99

VARIABLE SPEED HAND-HELD BLOWER/VACUUM 8317

- 116 CFM, max air speed 195 km/h (121 mph)



\$26.99

INSPECTION CAMERA WITH LCD MONITOR KC-9050

- Kit includes:
- Camera handle, 9mm dia. x 39" flexible camera probe
 - 2.4" diagonal TFT-LCD color monitor,
 - Kit comes with 3 accessory tools (45° mirror, magnetic pick-up, pick-up hook) and 4 AA batteries



\$99.99

WIRELESS INSPECTION CAMERA WITH RECORDABLE LCD MONITOR KC-9200

- Kit includes:
- Camera handle, 39" x 9mm camera probe, 39" x 10mm camera probe extension, 3.5" TFT-LCD wireless color monitor, monitor Li-ion charger, 3 accessory tools (45° mirror, magnetic pick-up, pick-up hook), USB and Video cables, 4GB SD



\$199.99

2 TON FOLDING SHOP CRANE KFC-2TC



KFC-2TC

- 8 ton hydraulic ram features top-of-stroke and safety overload bypass system for maximum pump protection.
- Compact design with retractable boom and foldable legs Fold-up leg with safety pins extend to 68 1/2"

\$299.99

CORDLESS LED WORK LIGHTS

KC-1201LED
10W Work light emits 1200 lumens
\$29.99



KC-750LED-B
750 Lumen Led Worklight
\$19.99

COMES WITH MAGNETIC BASE & 4 PANASONIC AA BATTERIES

KC-2202LED-C
20W Work Light Emits 2200 lumens
\$69.99

Comes with magnetic base

KC-1202LED-C
10W Work light emits 1200 lumens
\$49.99
CORDLESS



KC-2401LED
20W work light emits 2400 lumens
\$49.99



KC-3601LED
30W work light emits 3600 lumens
\$84.99



14 PC. JUMP STARTER KIT PERSONAL POWER SUPPLY PX-500

- Charge or power all electronic devices, USB 5V electronics, 12V accessories and 16V/19V laptops.
- This 13,600 mAh portable jump starter & power supply is able to jumpstart a V8 engine (5L) up to 15 times



\$99.99

ALL WEATHER HEAVY-DUTY (-40°C to 60°C) SINGLE-TAP EXTENSION CORDS 12/3

Model	Length	AWG	Color	\$
K-2512-1T-YE	25'	12/3	YELLOW	23.99
K-2512-1T-RD	25'	12/3	RED	23.99
K-2512-1T-OR	25'	12/3	ORANGE	23.99
• 15A 125V, 1675W For indoor and outdoor use • Ultra flexible / High visibility colors / Lighted ends				
K-5012-1T-YE	50'	12/3	YELLOW	44.99
K-5012-1T-RD	50'	12/3	RED	44.99
K-5012-1T-OR	50'	12/3	ORANGE	44.99
K-5012-1T-GN	50'	12/3	GREEN	44.99
2' TRIPLE-TAP EXTENSION CORD				
K-212-3T-RD	2'	12/3	RED	9.99

HYDRAULIC SHOP PRESSES WITH GRID GUARD

- Great for straightening, pressing, bending or stamping
- Used to install or remove gears, bushings or bearings
- Adjustable bed height with support rods
- Comes with 2 pressure plates

Optional
9 PC. PUNCH & DIE KIT KM-045
\$99.99

10 TON



\$299.99
KHP-10T-GGN

20 TON



\$449.99
KHP-20T-GGN

WWW.KINGCANADA.COM Proudly Canadian

SANDBLAST CABINETS WITH LED LIGHT

- LED light for improved visibility
- Gun comes with 4 different sized ceramic nozzles for different usages
- 2 rubber gauntlet gloves mounted in front
- Dual large access doors allow user to sandblast longer pieces of metal (KSB-350-LED only)
- Comes with 5 replacement adhesive window protectors



LED light for improved visibility

NEW



KSB-110N-LED
\$169.99



NEW

KSB-350-LED
\$599.99

ADHESIVE WINDOW PROTECTORS

KM-097
Fits:
KSB-110N-LED
5 PC. KIT
\$19.99

KM-098
Fits:
KSB-350-LED
5 PC. KIT
\$19.99

REPLACEMENT CERAMIC NOZZLES

KM-036
Fits: KSB-110N-LED & KSB-350-LED
4 PC. KIT
\$19.99

PRESSURE/ABRASIVE SANDBLASTERS

- Safety pressure relief valve
- Loading abrasive is made simple using the concave funnel top of the tank
- 1/2" (I.D.) x 8 ft abrasive feed hose
- Includes media gun, 4 interchangeable nozzles (2, 2.5, 3 & 3.5mm), water separator filter, protective blast hood and teflon tape



Protective blast hood included

10 GALLON

KSB-10
\$199.99

20 GALLON

KSB-20
\$249.99

RECIRCULATING PARTS WASHERS

CLEANING BRUSH FOR PARTS WASHERS KM-059
\$19.99



5 GALLON

KPW-205
• Safety lever has fusible link
• Durable pump included
\$69.99

20 GALLON

KPW-220
• Safety lever has fusible link
• Durable pump included
\$169.99

40 GALLON

KPW-240
• Safety lever has fusible link
• Durable pump included
\$219.99