



JAMB& UNDERCUT SAW

KC-8363

- The height of cut is adjustable from flush to 1" above the floor with 1/8" graduated scale
 The depth of cut is adjustable
- to suit a variety of material thicknesses from 0 - 1-1/4" with an adjustable fence
- Comes with a 40 tooth carbide tipped blade

KC-8306

- Motor: 7 Amp. 10,800 RPM
- Robust fence with 0 to 90° and 90° to 135° tilt adjustments with positive stops at 45° & 90°
- 45° location notch allows indexing off the outside of a mitered joint

BISCUITJOINER KIT

Kit includes biscuit joiner with 4" carbide tipped blade, dust bag, hex. key and plastic carrying case

1/2"DRILLING & MIXING KIT

KC-8316

- 0 600 RPM 9 Amp. motor
- Variable speed trigger with lock-on button
- Double gear reduction for added torque
- Rear D-handle rotates 360°
- Comes with 1/2" chuck, 3 galvanized mixing paddles





3 1/2" MINI **PLÚNGE SAW KIT**

- Compact hand held plunge saw can cut wood, plastic, ceramic tile, aluminum and even sheet metal
 • Make plunge cuts up to 1-1/8"
- Worm-drive power transmission system for
- greater cutting power Comes complete with 3 blade set (24 tooth carbide tipped blade, segmented diamond blade and 80 tooth HSS blade), dust extraction hose, edge guide and blade changing hex. key





KW-3503 **REPLACEMENT** REPLACE. HSS BLADE \$11.99



THE

KIT COMES IN STURDY

1/4 SHEET PALM SANDER 8351

 Powerful 1.5 Amp. motor operates at 14,000 opm Comes with 60, 100 grit sandpaper, rear vacuum port, detachable dust bag and sandpaper punch plate



3 1/4" PLANER 8333

• 4.4 Amp. motor • 16,000 cuts per minute


5(3)9) %

3" X 21" VARIABLE SPEED BELT SANDER Powerful Powerful 8356VS

Belt speed 390-1250 FPM

- Highly efficient dust collection system
- Comes with sanding belt and dust bag

| 3"X 21" SANDING BELI KIIS | | | | | | | | | |
|---------------------------|------------|-----------|------|-----------|--------|--|--|--|--|
| | Model | Belt Size | Grit | Units/Kit | Price | | | | |
| | SB-321-40 | 3"x 21" | 40 | 1 | \$1.99 | | | | |
| | SB-321-60 | 3"x 21" | 60 | 1 | \$1.99 | | | | |
| | SB-321-80 | 3"x 21" | 80 | 1 | \$1.99 | | | | |
| | SB-321-120 | 3"x 21" | 120 | 1 | \$1.99 | | | | |



8357

- 10 Amp. motor Belt speed 1300 FPM
- Comes with sanding belt and dust bag

| | 3"x 24" SANDING BELT KITS | | | | |
|------------|------------------------------|------|------------|--------|--|
| Model | Belt Size | Grit | Units/Kits | Price | |
| SB-324-40 | 3"x24" | 40 | 1 | \$1.99 | |
| SB-324-60 | 3"x24" | 60 | 1 | \$1.99 | |
| SB-324-80 | 3"x24" | 80 | 1 | \$1.99 | |
| SB-324-120 | 3"x24" | 120 | 1 | \$1.99 | |



No. of Lot,

DETAIL PALM SANDER 8303N 1.2 Amp. motor

Comes with 12 pieces of abrasives (4 x 80 grit, 4 x 120 grit, 4 x 180 grit) and dust port adaptor



9 PC. SANDING PAPER KIT KW-168





Tool-less quick release blade change system

Comes with jig saw blades, edge guide, dust chute, hex. keys



3-IN-1 VARIABLE SPEED

BLOWER/VACUUM/MULCHER



5" RANDOM ORBIT SANDER 8305

1.5 Amp. motor Comes complete with 9 PC. accessorie

\$35.99

DISC HOOP AND LOOP SANDING PAPER KIT





8300N

- 1,500 watt motor Comes complete with heat gun, 4 nozzles, 5pc. paint scraper kit





Powerful 1.6 Amp. motor

operates at 24,000 opm Comes with 12 pieces of abrasives, dust port adapto and sandpaper punch plate





1/4" LAMINATE TRIMMER

8362N

- 3.3 Amp., 110 V, 26,000 RPM no load speed
- Comes complete with 1/4" collet cone, 1/4" x 3/8" straight bit, straight edge guide, trimmer base and roller guide, #10 and #17 open end wrenches







APPLICATOR

& BUFFING





3/8" ELECTRIC

DRILL

8302N

• Depth stop gauge

for depth drilling



ORBIT POLISHER

5 sanding discs





Double Insulation 5" ANGLE DISC GRINDER KIT 8364N 6 PC. • 8 Amp. motor • 11,000 RPM Double Insulation



ARCTIC FLEX

RETRACTABLE AIR HOSE REEL WITH HYBRID **POLYMER AIR HOSE**

K-5038FRL **50 ft. x 3/8"**

All-Weather Flexibility (-40°C to 65°C)
Comes with wall mounting hardware

MANUAL AIR HOSE **REEL WITH HYBRID POLYMER AIR HOSE**


K-10014FRL $100 \text{ ft.} \times 1/4''$

• All-Weather Flexibility (-40°C to 65°C)

• 360° swivel base

HYBRID POLYMER **INDUSTRIAL AIR HOSES**

HYBRID POLYMER INDUSTRIAL AIR HOSES K-2514H 25'x1/4" \$19.99 K-2538H 25'x3/8" \$26.99 K-5014H 50'x1/4" \$29.99 K-5038H 50'x3/8" \$39.99 K-10014H 100'x1/4' \$49.99 K-10038H 100'x3/8"







3 GALLON OIL FREE AIR COMPRESSOR KIT

ULTRA-QUIET OIL-FREE AIR

KING

COMPRESSOR

125 PSI maximum tank

• 1/4" universal "one touch"

quick connect coupler

and large easy to read

Air pressure regulator

Ultra-quiet motor

only 60 decibels

pressure gauges

Powerful 2.5 HP,

Pressure
 ASME safety valve

KC-1410A

70-100 PSI operating pressure

1.0 CFM @ 40 PSI

0.60 CFM @ 90 PSI
Kit comes with 1/4" x 25ft.

coil air hose, 1/4" female couplers, 1/4" male fittings, tire inflator, air blower, air blower adaptor, inflating nozzle, inflating needle, oil bottle.



ADJUSTABLE AIR DEFLECTOR

18GA. X 1" - 1/4" NARROW

3/8" to 1" Staple range
Comes with 1/4" air inlet, oiler, hex. keys,

CROWN STAPLER KIT

& sturdy carrying case

8101S



8440N/8200B

AIR COMPRESSORS & accessories

 Comes with 8 Ga. x 2" brad 70-100 PSI

ULTRA-QUIET OIL-FREE

AIR COMPRESSOR

• Light weight aluminum tanks

• 3.80 CFM @ 40 PSI

• 2.35 CFM @ 90 PSI

• Extra long pump life

of over 3000 hours

• 120 PSI maximum

ASME safety valve

tank pressure

4.6 GALLON (2.X.2.3)

KC-4620A

0.82 SCFM @ 40 PSI 0.60 SCFM @ 90 PSI

Kit comes with 1/4" x 25ft. coil air hose, 1/4" female couplers, 1/4" male fittings, tire inflator, air blower, air blower adaptor, inflating nozzle

inflating needle, oil bottle and hexs. keys nozzle, inflating needle, oil bottle.


ADJUSTABLE AIR DEFLECTOR

\$99,99



K-5058GH $5/8'' \times 50$ ft.

K-10058GH **\$69.99 5/8" x 100 ft.**



21 GA. X 5/8" -1/2" CROWN UPHOLSTERY STAPLER KIT

81218

• 1/4" to 5/8" Staple range • Comes with 1/4" air inlet, oiler, hex. keys,

& sturdy carrying case

ADJUSTABLE AIR DEFLECTOR



23GA. X 2" HEADLESS PIN

NAILER KIT

non-marring tips, oiler, hex. keys and sturdy carrying case



18GA. X 2" **BRAD NAILER KIT** 8201N

3/4" to 2" Nail range

Comes with 1/4" air inlet, oiler, hex. keys,

16 GA. X 2" - 7/16" MEDIUM

8216S-2
• 3/4" to 2" Staple range
• Comes with 1/4" air inlet, oiler, hex. keys,

safety glasses & sturdy carrying case

CROWN STAPLÉR KIT



16GA. X 2 1/2" BRAD **NAILER KIT**

8225NL

• 3/4" to 2 1/2" Nail range

• Comes with 1/4" air inlet, oiler, hex. keys, safety glasses & sturdy



18 GA. NAILER/STAPLER KIT 8210NS

18 Ga. x 1/4" (3/8" to 1 5/8") stapler
18 Ga. x 1/4" (3/4" to 2") nailer
Comes with 1/4" air inlet, oiler, hex. keys



























PORTABLE & GASOLINE GENERATORS & accessories GASOLINE DIGITALINVERTER

950W PORTABLE GENERATOR

KCG-951G

- Brushless alternator and electronic ignition
 Outlet: 120V/6.7 Amp. AC output
 Outlet: 12V/5.3 Amp. DC output

- · AC and DC circuit breakers and reset buttons for safe operation
- Comes with DC cables and spark plug socket





1500W GASOLINE GENERATOR

KCG-1501GN

- Low oil shut-off with indicator light protects the engine
 Duplex Outlet: 120V/10 Amp. AC output
- Terminals: 12V, 8 amp. DC output
- AC and DC circuit breakers for safe operation

309,99



6500W GASOLINE GENERATOR WITH WHEEL KIT

KCG-6501G

- AVR system and electronic ignition
 Low oil shut-off with indicator light protects the engine
 Duplex outlet: 120V/20 Amp. AC

 ACC (100 AMP) AC
- Twist lock outlet: 120V/240V/30 Amp AC
- · AC double throw circuit breaker and resets for safe operation



8500W GASOLINE GENERATOR WITH ELECTRIC START & WHEEL KIT

KCG-8500GE

- AVR system and electronic ignition

- Low oil shut-off with indicator light protects the engine
 Two duplex outlets: 120V/20 Amp. AC
 Two twist lock outlets: 120V/30 Amp and 120V/240V/30 Amp AC
- Keyed electric start and easy start recoil starter AC double throw circuit breaker and resets for safe operation
- Wheel kit includes 10" wheels and pivot handles



10,000W GASOLINE GENERATOR WITH ELECTRIC START & WHEEL KIT

KCG-10000GE

- AVR system and electronic ignition
 Low oil shut-off with indicator light protects the engine
 Two duplex outlets: 120V/20 Amp. AC
- Two twist lock outlets: 120V/30 Amp and 120V/240V/30 Amp AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets for safe operation
- · Neutral bonded to frame
- CSA & EPA approved \$999.99



15,000W V-TWIN GASOLINE **GENERATOR WITH ELECTRIC START**

KCG-15000GE

- AVR system and electronic ignition
 Two duplex outlets: 120V/20 Amp. AC
 Twist lock outlet: 120V/30 Amp. AC
 Outlet: 120V/240V/50 Amp. AC

- AC double throw circuit breaker and resets
 Terminals: 12V/8.3 Amp. DC with DC reset
- CSA & EPA approved



GENERATOR EXTENSION CORDS

K-L1430-25-4T Extension cord length: 25 feet Gauge (AWG)/Cord: 10 (SJTW 4/C) Number of

120V plugs: 4

Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles

K-L1430R-25 Extension cord length: 25 feet Gauge (AWG)/Cord: 10 (SJTW 4/C)

Lighted



RV GENERATOR ADAPTER

K-TT30R a generator with a
NEMA L5-30R 125V
twist lock receptacle to be
connected to recreational
vehicles that use typical
RV extension cords

Powerful 3 HY, 4 stroke air cooled OHV engine DC output for chargin smartphones, tablettes or any USB powered equipment DC Cigarette Lighter Socket: 12V/8 Amp. DC output AC Duplex Outlet: 120V/13.3 Amp AC output

Sine wave digital inverter generator provides stable

current to power voltage-sentitive electronics Powerful 3 HP, 4 stroke air cooled

2000W

KCG-2001i

GENERATORS



- Sine wave digital inverter generator provides stable
- Sine wave algital inverter generator provides current to power voltage-sensitive electronics
 DC USB port: 5V/2.1 Amp.
 DC cigarette lighter socket:
 12V/8 Amp. DC output
 AC duplex outlet: 120V/
 20 Amp. AC output
 AC twist lock outlet:

120V/30 Amp. AC output





\$1149.99



Optional

K-X2P Parallel Cable Kit for

connectivity between two inverters

.

GASOLINE WATER PUMPS

92' Total head lift (total height at sea level, to which water can be raised above original water level)

Oil sensor shuts off engine when oil level is low Comes with 3 wire clamps, 4 hose adaptors,

4 rubber gaskets, strainer basket and strainer

Easy start recoil starter



KCG-2PGN-7

349

WATER PUMP HOSE KITS

Each hose kit comes with a type A threaded camlock adaptor

CLEAR PVC REINFORCED SUCTION HOSES

FLAT PVC DISCHARGE HOSES



S169.⁹⁹

\$99.99

KW-252 KW-253 2" X 25 ft 3" X 25 ft



KW-502 2" X 50 ft

KW-503 3" X 50 ft













4" ELBOW





bottom dust bag KDCB-5 5 BAGS PER BOX

\$19.99 ALUMINUM BL'AST GATE

4" BLAST GATE K-1007

CLEAR FLEXIBLE COLL'APSIBLE PVC HOSE K-1033-50 **\$3.**39 Lin. Ft.

DUST COLLECTION SEPARATOR with **ELBOW** K-1056/

K-1017 To maximize the

cyclonic air flow in the drum



4"Y-FITTING

K-1015 **58.**99



S39.99

1"-6" UNIVERSAL ADAPTOR

K-1039 **58.**99









3 SPEED AIR CLEANER WITH REMOTE CONTROL

410 GFM

• 2 stage filtration, one disposable electrostatic 5 microns outer filter and 1 Micron inner two pocket filter

3 SPEED AIR CLEANER WITH REMOTE CONTROL KAC-1050


• 1/3 HP, 2.5 Amp. motor

Air suction capacity of 556, 702,1050 CFM

2 stage filtration, one disposable electrostatic 5 microns outer filter and 1 Micron inner two pocket filter





















1.5 Ah 20V MAX Li-ion BATTERY

K-020LBT





K-020LCG 3 Ah 20V MAX Li-ion CHARGER











Articles may vary from illustration shown.

Some retailers may not stock all products due to space restrictions and product availability.