









AIR COMPRESSORS



1 GALLON ULTRA-QUIET OIL-FREE AIR COMPRESSOR KC-1410A

• 125 PSI maximum tank pressure

- 1/4" universal "one touch"
- quick connect coupler Air pressure regulator
- and large easy to read pressure gauges

2 HP (PEAK) (60 Decibels)

K-5058GH 5/8" x 50 ft.

6

5/8" x 100 ft. \$69

Extreme All-Weather Flexibility Kink resistant



KC-4620A • Light weight aluminum tanks

- 3.80 CFM @ 40 PSI
- 2.35 CFM @ 90 PSI
- Extra long pump life of over 3000 hours
- 120 PSI maximum tank pressure 2 HP (PEAK)

KING

(60 Decibels)

10 GALLON ULTRA-QUIET OIL-FREE **AIR COMPRESSOR**

KC-10020SQ

- 125 PSI maximum tank pressure
- 150 PSI max pressure 5.6 CFM @ 40 PSI
- 3 HP (PEAK)
- Durable oil-free pump (75 Decibels)



3 GALLON AIR COMPRESSOR 8438

- Durable oil lubricated pump
- 1.0 CFM @ 40 PSI
- 0.60 CFM @ 90 PSI
- Air pressure regulator and e
- asy to read pressure gauges
- Convenient reset feature

3 GALLON OIL FREE AIR COMPRESSOR & 2" BRAD NAILER KIT

8438/8200B

Kit includes: Kit comes with powerful 18 ga. x 2" brad nailer (70-100 FSI) which drives standard 18 ga. brad nails from 5/8" to 2", 1/4" x 25ft. coil air hose, two 1/4" female couplers, 1/4" male fitting, tire inflator, air blower, air blower adaptor, inflating nozzle, inflating needle, oil bottle and hex. keys



8223PN

1/2" to 1-3/8" Pin range
Comes with 1/4" Air inlet, 2 removable non-marring tips, oiler, hex. keys and sturdy carrying case



16GA. X 2 1/2" BRAD NAILER KIT 8225NL 3/4" to 2 1/2" Nail range
Comes with 1/4" air inlet, oiler, hex. keys, safety glasses & sturdy carrying case



ASME safety valve \$179.99	ASME safety valve \$299.99	ASME safety volve	ASME safety valve COMPRESSOR ONLY \$99.9.99
ARCTIC FL		RS & STAPLER	25
RETRACTABLE AIR HOSE REEL WITH HYBRID POLYMER AIR HOSE K-5038FRL 50 ft. x 3/8" • All-Weather Flexibility (-40°C to 65°C) • Comes with wall mounting hardware	18 GA. NAILER/STA 8210NS • 18 Ga. x 1/4" (3/8" to 1 5 • 18 Ga. x 1/4" (3/4" to 2") • Comes with 1/4" air inlet, o and sturdy carrying case	/8") stapler nailer iler, hex. keys 2001 2001 2000 2000 2000 2000 2000 200	hex. keys, 8251PN
MANUAL AIR HOSE REEL WITH HYBRID POLYMER AIR HOSE K-10014FRL 100 ft. x 1/4" • All-Weather Flexibility (-40°C to 65°C) • 360° swivel base HYBRID POLYMER	\$99. ⁹⁹ \$59.99	\$49.99	599.99
INDUSTRIAL AIR HOSES HYBRID POLYMER INDUSTRIAL AIR HOSES K2514H 25x1/4" \$10,99	(-40°C to 65°C) I8GA. X 1" - 1/4" N. CROWN STAPLER KI 8101S • 3/8" to 1" Staple range • Comes with 1/4" air inlet, oi & sturdy carrying case	ARROW 21 GA. X 5/8" -1/2" CR UPHOLSTERY STAPLER K 8121S • 1/4" to 5/8" Staple range • Comes with 1/4" air inlet, oiler, & study carrying case	COWN 16 GA. X 2" - 7/16" MEDIUN CROWN STAPLER KIT 8216S-2 • 3/4" to 2" Staple range
PREMIUM HYBRID POLYM GARDEN HOSES 150 PSI (Working) 450 PSI (Burst)	ER		





\$59.99







EDIUM

AIR COMPRESSORS

2 GALLON

COMBO KIT

4 SME safety val

2 GALLON AIR COMPRESSOR AIR COMPRESSOR

8449C Durable oil lubricated pump

- 2 70 SCFM @ 40 PSI
- 2.30 SCFM @ 90 PSI • Air pressure regulator and easy
- to read pressure gauges

- 8449C/8200NH25 Kit includes:
- 1- 1.5 HP air compressor (8449C) • 1- 18 gauge x 2" brad nailer kit (8200B)
- 1- 3/8" x 25' air hose 300 PSI (KAH-3825)

СОМВО КІТ

59.99

5 GALLON TWIN TANK AIR COMPRESSOR

8488C

- 3,400 RPM, 13 Amp. motor 5.0 CFM @ 40 PSI
- 4.0 CFM @ 90 PSI Dual 1/4" universal "one touch" quick connect couplers allow user to connect up to 2 air tools

5 GALLON TWIN TANK AIR COMPRESSOR **& BRAD NAILER**

COMBO KIT 8488C/8200NH25

- Kit includes:
- 1-5 gallon air compressor
- 1- 18 gauge x 2" brad nailer kit (8200B)
 1- 3/8" x 25' air hose 300 PSI (KAH-3825)

CO CARE CAREER TATAL PARTIES AND AND ANT

\$209.99 **\$1**9.99

5 PEAK HP AIR COMPRESSOR 8498

- Durable oil lubricated pump
- 20 gallon tank
 7.4 SCFM @ 40 PSI
- 5.7 SCFM @ 90 PSI

COMPRESSOR **OIL BOTTLE** KW-077 (850ml)

99

K-1620

 Air Pressure Regulator and easy to read Pressure Gauges



PERFORMANCE PLUS

\$29

(0)



COMPRESSOR ONLY

\$169.99

\$49.99

COMPRESSOR ONLY

\$129.99

PALM NAILER

easy nailing


Powerful palm nailer drives bulk, framing, timber and finishing nails up to 4-1/2" (120mm) in length
 Magnetic nail holder for fast and

· Comes with oiler and hex. key

1110

0.55

8120P



8260FSN-2

- •1 " to 2" Staple range •1 1/2 " to 2" Cleat nail range Comes with mallet, 1/4"
- air inlet, safety glasses, oiler, hex. keys & sturdy carrying case











AIR TOOL KIT PC, Comes with 1/2" mpact , Wrench, 3/8″ Ratchet, Wrench, Air Hammer and 1 1.1 Die Grinder 9 99 0 TIRE INFLATION

GUN WITH PRESSURE GAUGE

K-1630 • 15" flexible rubber hose with lever style chuck, rubber protected 2-1/2" diameter pressure gauge (pressure range of 10- 170 PSI)





PORTABLE & GASOLINE GENERATORS & ACCESSOIRES

950W PORTABLE GENERATOR

KCG-951G

- Brushless alternator and electronic janition
- Outlet: 120V/6.7 Amp. AC output
- Outlet: 12V/5.3 Amp. DC output
- AC and DC circuit breakers and reset buttons for safe operation · Comes with DC cables and spark plug socket



2 HP ^{2 stroke air} cooled OHV engine

6500W GASOLINE GENERATOR WITH WHEEL KIT

KCG-6501G

- AVR system and electronic ignition
 Low oil shut-off with indicator light protects the engine
- Duplex outlet: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp AC
- AC double throw circuit breaker and resets for safe operation



15 HP ⁴ stroke air cooled OHV engine

8500W GASOLINE GENERATOR WITH ELECTRIC START & WHEEL KIT

KCG-8500GF

- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
 Two duplex outlets: 120V/20 Amp. AC
- Two twist lock outlets: 120V/30 Amp and 120V/240V/30 Amp AC
- Keyed electric start and easy start recoil starter
 AC double throw circuit breaker and resets for safe operation
- Wheel kit includes 10" wheels and pivot handles



15 HP d stroke air cooled OHV engine

10,000W GASOLINE GENERATOR WITH ELECTRIC START & WHEEL KIT KCG-10000GE

- AVR system and electronic ignition
 Low oil shut-off with indicator light protects the engine
 Two duplex outlets: 120V/20 Amp. AC
 Two twist lock outlets: 120V/30 Amp and
- 120V/240V/30 Amp AC
- Keyed electric start and easy start recoil starter AC double throw circuit breaker and resets for safe operation
- Neutral bonded to frame
- CSA & EPA approved



15 HP ⁴ stroke air cooled OHV engine

15,000W V-TWIN GASOLINE GENERATOR WITH ELECTRIC START

KCG-15000GE

- AVR system and electronic ignition
- Two duplex outlets: 120V/20 Amp. AC
 Twist lock outlet: 120V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- AC double throw circuit breaker and resets
- Terminals: 12V/8.3 Amp. DC with DC reset
- CSA & EPA approved



20 HP ^{V-Twin horizontal shaft} 4 stroke air cooled OHV engine

GENERATOR EXTENSION CORDS

RV GENERATOR ADAPTER

K-TT3OR

This adapter allows a generator with a NEMA L5-30R 125V twist lock receptor to be connected to recreational to be co vehicles that use typical RV extension cords



Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles K-L1430-10 Extension cord length: 10 feet Gauge (AWG)/Cord: 12 (SJTW 4/C) Number of 120V plugs: 4

K-L1430R-25 Extension cord length: 25 feet Gauge (AWG)/Cord: 10 (SJTW 4/C) Number of 120V plugs: 4

K-L1430-25-4T Extension cord length: 25 feet Gauge (AWG)/Cord: 10 (SJTW 4/C) Number of 120V plugs: 4



950%

GASOLINE DIGITAL INVERTER GENERATORS KCG-2001i CC-20011 Sine wave digital inverter generator provides stable current to power voltage-sentitive electronics Powerful 3 HP, 4 stroke air cooled OHV engine DC output for charging smartphones, tablettes or any USB powered equipment DC Cigarette Lighter Socket: 12V/8 Amp. DC output AC Duplex Outlet: 120V/ 13.3 Amp AC output Optional K-X2P 3 Parallel Cable Kit for . connectivity ۲ • between two inverters 2000W \$6**99**.⁹⁹ \$119.⁹⁹ KCG-4000i CC-4000i Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics DC USB port: 5V/2.1 Amp. DC cigarette lighter socket: 12V/8 Amp. DC output AC duplex outlet: 120V/ 20 Amp. AC output AC twist lock outlet: 120V/30 Amp. AC output USBer 4000W Remote control start \$11**49**.99 rful 7.5 HP, ke air cooled GASOLINE WATER PUMPS • 92' Total head lift (total height at sea level, to which water can be raised above original water level) • Oil sensor shuts off engine when oil level is low Comes with 3 wire clamps, 4 hose adaptors, 4 rubber gaskets, strainer basket and strainer κW Easy start recoil starter NPT inlet and outlet 2″ NPT inlet and outlet 77 - IV 6.5 HP 4 stroke 0 99 • air cooled OHV engine KCG-2PGN-9 KCG-3PG-9 WATER PUMP HOSE KITS Each hose kit comes with a type A threaded camlock adaptor CLEAR PVC REINFORCED SUCTION HOSES FLAT PVC DISCHARGE HOSES







Resets

Lighted

Fnd

\$29.99

\$**79**.99

S79.99





