FOLLOW US: Since 1983

Fall & Winter 2020 HOLIDAY SAVINGS

Proudly Canadian







Includes 10" carbide blade



Heavy-duty steel stand included











碰







sandpaper, rear vacuum port, detachable dust

bag and sandpaper punch plate

8300N Powerful

1,500 watt motor Comes complete



1/4" LAMINATE TRIMMER 8362N

Comes with 12 pieces

3.3 Amp., 110 V, 26,000 RPM no load speed
Comes complete with 1/4" collet cone, 1/4" x 3/8" straight bit, straight edge guide, trimmer base and roller guide, #10 and #17 open end wrenches



7 1/4" 12 AMP. CIRCULAR SAW 8307N Durable steel shoe with depth adjustment and adjustable bevel stops at 0° and 45° Comes with 24 tooth carbide tipped blade, arbor hex. key and adjustable edge guide 135 PC VARIABLE **SPEED ROTARY** TOOL KIT 8353N 10,000 - 33,000 RPM Comes with 40" Flex Shaft, 135 PC. assorted adjustable stand **180 PC. ROTARY TOOL** ACCESSORY KIT

VARIABLE SPEED RECIPROCATING **SAW KIT**

8354N

Variable speed 0-2900 SPM

Tool-less blade clamp system Accepts standard 1/2" shank blades

 Comes with a wood cutting blade, metal cutting blade and adjustment hex. key



No. of Lot,

TING



Belt speed 390-1250 FPMHighly efficient dust collection system

· Comes with sanding belt and dust bag

3"x 21" SANDING BELT KITS					
	Model	Belt Size	Grit	Units/Kit	Price
THE PERSON NAMED IN	SB-321-40	3"x 21"	40	1	\$1.99
See 1	SB-321-60	3"x 21"	60	1	\$1.99
	SB-321-80	3"x 21"	80	1	\$1.99
	SB-321-120	3"x 21"	120	1	\$1.99



KBB-8376-BM-1418	44 7/8"	1"	14-18	.020
Option	мI			
Miter S				
Turns this	Ran	dea	XA /	

into a Cut-off Saw

SS-8377

3 1/2" MINI **PLUNGE SAW KIT** \$9.99

Compact hand held plunge saw can cut wood, plast ceramic tile, aluminum and even sheet metal

Make plunge cuts up to 1-1/8" Worm-drive power transmission system for greater cutting power

Greater cutting power
Comes complete with 3 blade set
(24 tooth carbide tipped blade, segmen diamond blade and 80 tooth HSS blade), dust extraction hose, edge guide and blade changing hex.









KIT COMES IN STURDY

CARRYING CASE









PORTABLE CLAMPING WORKSTATION

K-2800

- Maximum clamping width 38"
- Height of clamping table 31 1/2"
- Maximum clamping force 1 metric ton
- · Folds quickly for storing







50 FT. 5 SAMSUNG™ LED STRING LIGHT

K-5018-5LED

- Temporary string lighting with 5 high intensity SamsungTM brand LED lights in 10 feet increments
 50 foot 18 AWG /3 conductor 2,500 Lumens
- -
- grounded SJT power cord
 75 linear feet of coverage
- at 10 feet in height

 Waterproof to IP44 standards



5 LAMP STRING LIGHT WITH METAL CAGES

 5 molded light sockets in 10 feet increments

 Heavy-duty 12 AWG /3 conductor grounded SJTW cord



16" DIGITAL ANGLE FINDER

KW-400

Digital LCD display indicates precise degree measurements (0.05° resolution)

Powered by a 9V battery (included)



13" PROFESSIONAL LAMINATE **FLOORING CUTTER**

KC-13LCT

- Cuts a variety of materials, up to 13" wide and 19/32" thick
- Table miter gauge for angled cuts from 0-45°





TILE SAWS & accessories

7" TILE SAW

KC-3003N

- Adjustable cutting table tilts from 0°-45°
- Water reservoir for cooling
- Comes with adjustable rip fence. V-push block for miter cuts and adjustment keys

7" TILE SAW

KC-3004ST

- Adjustable cutting table tilts from 0°-45°
- Increased cutting capacity up to 14" to the right of the blade and up to 18" to the left
- Comes with adjustable rip fence, V-push block for miter cuts and adjustment keys

14" max rip capacity (right) 18" max rip capacity (left)





10" SLIDING TILE SAW KC-3310TS

 Powerful heavy duty 2.5 HP, 15 Amp. motor with GFCI protected power cord Full coverage wrap around splash guards

• 24" rip capacity at 90° • Head tilts 0°-45° fo

bevel cuts Plunge head allows controlled cuts for electrical outlets, drains and AC registers



K-212-3T-RD



ALL WEATHER HEAVY-DUTY SINGLE-TAP EXTENSION CORDS Model Length **AWG** Color \$ K-2512-1T-YF 12/3 YFIIOW 23.99 25' K-2512-1T-RD 25' 12/3 RED 23,99 K-2512-1T-OR 12/3 ORANGE 23 00 15A 125V, 1675W For indoor and Ultra flexible / High visibility colors W For indoor and outdoor use Lighted ends K-5012-1T-YE 50' 12/3 YELLOW K-5012-1T-RD K-5012-1T-OR 50' 12/3 RED ORANGE 50' 12/3K-5012-1T-GN 50' 12/3 GREEN SION CORD

12/3



LOG SPLITTE

UNIVERSAL ANTI-WEAR

HYDRAULIC OIL

KW-127

5 TON - 20" LOG SPLITTER

KC-5LS

20 1/2" x 12" capacity for splittling firewood
Can be used on floor or



10 TON KINETIC FLYWHEEL LOG SPLITTER

KC-10LS

1 second cycle time

With no hydraulic oil or pump, kinetic flywheel log splitters are much easier to maintain

Automatic ram retraction leaving your hands free to load the next log Hardened steel

pinion gear transfers energy from the flywheels

Enhanced Laser Effect



HORIZONTAL/VERTICAL GAS LOG SPLITTERS

KCG-20LS

- Quick split 8 second
- cycle time cylinder Splits logs up to 21"
- in length Log cradle keeps logs from droppin

65 HP 4 stroke



KCG-26LS

- Quick split 8 second cycle time cylinder
- in length

9.99

RED









AIR COMPRESSORS 5 PEAK HP AIR

ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-1410A

- 125 PSI maximum tank pressure
- ASME safety valve
- 1/4" universal "one touch" quick connect coupler
- Air pressure regulator and large easy to read

Powerful 295 HPS **Ultra-quiet motor** only 60 decibels



ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-4620A

- Light weight aluminum tanks
- 3.80 CFM @ 40 PSI
- 2.35 CFM @ 90 PSI
- Extra long pump life of over 3000 hours
- 120 PSI maximum tank pressure



KC-10020SQ • Ultra-quiet, 3 HP (peak) motor, 75 dB 125 PSI maximum tank pressure • 150 PSI max pressure

AIR COMPRESSOR

ULTRA-QUIET OIL-FREE

 5.6 CFM @ 40 PSI 4 4 CFM @ 90 PSI

10 GALLON

• Durable oil-free pump with minimal





3 GALLON **AIR COMPRESSOR**

8438

- 1.0 CFM @ 40 PSI0.60 CFM @ 90 PSI
- · Air pressure regulator and e

asy to read pressure gauges Convenient reset feature

3 GALLON OIL FREE AIR COMPRESSOR & 2" BRAD NAILER KIT

8438/8200B

Kit includes:

If Includes:

Kit comes with powerful 18 ga. x 2"
brad nailer [70-100 PSI] which drives
standard 18 ga. brad nails from 5/8" to
2", 1/4" x 25ft. cool air hose, two 1/4"
female couplers, 1/4" male fitting, fire
inflator, air blower, air blower adaptor,
inflating nozzle, inflating needle,
ail bottle gad best leave.

COMBO KIT

2 GALLON AIR COMPRESSOR AIR COMPRESSOR 8449C

- 2.70 SCFM @ 40 PSI2.30 SCFM @ 90 PSI
- Air pressure regulator and easy to read pressure aquaes

2 GALLON **COMBO KIT** 8449C/8200NH25 Kit includes:

1- 1.5 HP air compressor (8449C)
1- 18 gauge x 2" brad nailer kit (8200B) • 1-3/8" x 25' air hose 300 PSI



COMPRESSOR ONLY

COMBO KIT

5 GALLON TWIN TANK AIR COMPRESSOR

- 8488C
 3,400 RPM, 13 Amp. motor
 5.0 CFM @ 40 PSI
- 4.0 CFM @ 90 PSI
 Dual 1/4" universal "one touch" quick connect couplers

2.5 HP 5 Gallon tank

5 GALLON TWIN TANK AIR COMPRESSOR & BRAD NAILER **COMBO KIT**

8488C/8200NH25

Kit includes: Interest Street Street



COMPRESSOR ONLY

COMBO KIT

ARCTIC FLEX

-5038FRI

All-Weather Flexibility (-40°C to 65°C)

wall mountina

RETRACTABLE AIR HOSE REEL WITH HYBRID POLYMER AIR HOSE



COMPRESSOR ONLY

MANUAL AIR HOSE REEL WITH HYBRID **POLYMER AIR HOSE**



-10014FRL 100 ft. x 1/4"
• All-Weather
Flexibility
(-40°C to 65°C) 360° swivel base

(-40°C to 65°C)

HYBRID POLYMER INDUSTRIAL AIR HOSES



PREMIUM HYBRID POLYMER **GARDEN HOSES**

150 PSI (Working) 450 PSI (Burst)



K-5058GH $5/8" \times 50 \text{ ft.}$

K-10058GH $5/8" \times 100 \text{ ft.}$

Extreme All-Weather Flexibility Kink resistant

DRILL PRESSES & ACCESSORIES





ON-OFF

13"

KC-116N

DRILL PRESS

• 7.5 Amp. motor • 16 speeds (220-3600 R.P.M.)

Enhanced Laser Effect

WITH DUAL LASER

GUIDE SYSTEM







DRILL

PRESS



Kit includes:

Camera handle, 9mm dia. x 39" flexible camera probe
2.4" diagonal TFT-LCD

color monitor and 4 AA batteries

WIRELESS INSPECTION **CAMERA WITH RECORDABLE LCD MONITOR** KC-9200

Kit includes: camera probe, probe extension, 3.5" TFT-LCD wireless color monitor, charger, 3 accessory tools USB and Video

cables, 4GB SD memory card and 4 AA batteries



3060 PSI



MA-511

Kit comes with chisel holder, holddown arms,holddown bracket,fence, ring bushing adaptors, 4 pc. 1/2" shank mortising chisels & hits and



3000 PSI GASOLINE HIGH PRESSURE **WASHER** KPW-3001FM

- 3000 PSI, 2.3 GPM maximum
- Comes with 10" pneumatic wheels for portability and 4 quick connect nozzles





PRESSURE ABRASIVE SANDBLASTERS

- Heavy-duty all steel construction
- Safety pressure relief valve
- · Loading abrasive is made simple using the concave funnel top of the tank
- 1/2" (I.D.) x 8 ft abrasive feed hose
- Includes media gun, 4 interchangeable nozzles (2, 2.5, 3 & 3.5mm), water separator blast

filter, protective blast hood and teflon tape



10 GALLON KSB-10

KSB-20





RECIRCULATING PARTS WASHERS







KPW-220

Safety lever has fusible link Durable pump included

KPW-205

Safety lever has fusible link • Durable pump included

PORTABLE & GASOLINE GENERATORS & ACCESSORIES





4000W GASOLINE DIGITAL INVERTER GENERATOR

KCG-4000i

Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
DC USB port: 5V/2.1 Amp.
DC cigarette lighter socket: 12V/8 Amp. DC output
AC duplex outlet: 120V/20 Amp. AC output
AC tr



GENERATOR EXTENSION CORDS

K-L1430R-25

Extension cord length:

Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles



K-L1430-25-4T Extension cord length: Gauge (AWG)/Cord: 10 (SJTW 4/C)

OHV engine

USB**Œ**#

Remote control



50 AMP. GENERATOR ADAPTOR CORD

K-1450P-2 Nema 14-50P 120/240V plug to Nema Cord length: 1.5 feet L14-30R 120/240V twist lock receptacle Gauge (AWG)/Cord: 10 (SJTW 4/C) Female receptace with lighted end





3 SPEED AIR CLEANER WITH REMOTE CONTROL

KAC-1050

• 1/3 HP, 2.5 Amp. motor 1050 CFM

1/3 Hr, 2.3 Amp. motor
Air suction capacity
of 556, 702,1050 CFM
2 stage filtration, one disposable electrostatic 5
microns outer filter and 1 Micron inner two pocket filter



4" SPLICE

ALUMINUM

BLAST GATE

4" - K-1142

K-1019



OPTIONAL **PLANER DUST** HOOD KW-076 Fits 12 1/2" planer

K-2796

KIT Includes:

12" DOVETAIL JIG

• Handles materials from 5/16" to

1 1/4" thick, and widths up to 12"

• Unit includes 1/2" aluminum template

DUST COLLECTION HOSE KIT #2

OPTIONAL PORTABLE PLANER STAND SS-426 S

80



minimi

DUST COLLECTION

HOSE KIT #1

K-1054



REMOTE CONTROL







4 pc-4" x 36" Clear tubes
1 pc-4" x 7" Clear tube
2 pc-4" 45 degree elbows

KW-270

27 pc kit includes;





1"-6" UNIVERSAL ADAPTOR

4" Y-FITTING

K-1039

27 PC 4" DUST COLLECTION HOOK-UP SYSTEM



















\$29.99















16" VARIABLE SPEED SCROLL SAW

COMBINATION 4"x 36" BELT AND

- 1.5 Amp. motor
 Table tilts (angle cutting) up to 45°)

6" DISC SANDER

KC-705L-6

Miter gaugeAdjustable

tilting table

• 5.2 Amp. moto

 Adjustable blade tension knob



OPTIONAL Pedal Switch XL-100



Powerful 1 HP motor

BENCH TOP TOOLS

6" BENCHTOP JOINTER WITH HELICAL CUTTERHEAD

- Helical cutterhead with 12 cutter inserts
- 2-1/2" dust chute for dust collector hook-up
- Comes 2 safety push blocks, cutter insert adjustment Torx key and adjustment hex. keys



Replacement Helical cutter insert kit (10 pcs)

KW-204 Fits: KC-6HJC , KC-6HJC & KC-13HPC

13" PLANER WITH HELICAL CUTTERHEAD KC-13HPC

- Powerful 15 Amp. motor with thermal overload protection
- Pre-set depth stops for repeat cuts at 1/8", 1/4", 1/2", 3/4", 1", 1-1/4", 1-1/2" and 1-3/4"



KING

WOODBANDSAW

ust chute accepts 2", 2-1/2 llector hoses

olete with miter gauge, ri vrench and hex. keys

KBB-1038-6 67 1/2" 3/8" 6 .020" KBB-1012-6 67 1/2" 1/2" 6 .020"

10"

KC





MAGNETIC DIGITAL

ADJUSTABLE KNIFE JIG ALIGNMENT KIT

KNIFE JIG ALIGNMENT KII KKC-60

For Jointers



Blade tilts 0° to 45° Comes with 10" x 40 tooth blade, rip fence, miter gauge, Standard and Dado table inserts, push stick and wrenches

15 Amp. motor 4400 RPM

6" x 48" BELT & 9" DISC SANDER

KC-760L

Two 2-1/2" dust chutes with 2-1/2" to 4" adaptor

for dust collector hook-up Comes complete with miter gauge, 2-1/2"to 4" dust chute adaptor and sturdy enclosed cabinet stand



KING

Model	Belt Size	Grit	Units/Kits	Price
SB-648-K-60	6"x 48"	60	2	\$9.99
SB-648-K-80		80	2	\$9.99
SB-648-K-100		100	2	\$9.99
SB-648-K-120	6"x 48"	120	2	\$9.99

9" STICK ON ADHESIVE DISCINITS

Model	Disc size	Grit	Units/Kits	Price
SD-9-K-60	9"	60	3	\$6.99
SD-9-K-80	9"	80	3	\$6.99
SD-9-K-100	9"	100	3	\$6.99
SD-9-K-120	9"	120	3	\$6.99

ve the right to limit quantifies. We reserve the right to correct any typographical and pictorial errors without notice. Articles may vary from illustration sho silers may not stock all products due to space restrictions and product availability.

ABRASIVE

CLEANER

1 1/2″ x 1 1/2″ x 8 1/2″

K-1306

 Model
 Length
 Width
 TPI
 Thickness
 Price

 KBB-1018-14
 67 1/2" 1/8" 14 018" \$19.99

 KBB-1014-6
 67 1/2" 1/4" 6 0.20" \$19.99

1/2 HP

Motor

$8'' \times 13''$ Variable speed wood lathe KWL-813VS High performance 1/3 HP Maximum turning capacity of 13" between a Variable speed range of 750 to 3200 RPM Complete with 4-1/4" and (300 Watt) DC motor 7" tool rests with 1/2"post diameter, 5-3/4" faceplate, MT#1 live center, MT#1 spur center, steel knock-out bar, adjustment keys and hex. kevs 12" x 18" VARIABLE SPEED WOOD LATHE KWL-1218VS

Reliable single board computer microprocessor for precise contro
 Comes complete with 3" faceplate, 6" & 12" tool rests with 5/8"

spur centre andMT#2 heavy- duty live cen knock-out rod, tool storage rack, post diameter, MT#2 screwdriver and

1 HP high performance 4 hex. keys 🎓 DC motor KING

G3 PEN TURNING CHUCK BUNDLE KIT (3-1/2")

48265C d 1"x 8TPI RH/LH. KITS INCLUDES:

G3 Reversible Chuck, 50mm/2"Jaws, Pen Plus Jaws, Mandrel Saver, T-bar chuck key, Woodworm screw and fastenings

G3 REVERSIBLE CHUCK KIT (3-1/2")

48232C

40232C Direct Threaded 1"x 8TPI RH/LH. KIT INCLUDES: G3 Reversible Chuck, 50mm/2"Jaws, T-bar chuck key, Woodworm screw and fastenings



nova 63

nova 63

NEV

NOVA G3 WOOD LATHE CHUCK nova 63 ANNIVERSARY BUNDLE

48260

3-3/8" 4 jaw chuck1" x 8 TPI

• 20, 50 & 100mm and Mini Cole jaw sets

 No chuck insert required Fits: KWL-1016C, KWL-1218VS, KWL-1443VS







width Folds flat for

storage

KMB-1250

MOBILE BASE



3 in 1 FOLDING **ROLLER STAND** KRS-108

 Easily change from a roller, omni-directional or a flat support

 Stand height is adiustable

from 27" to 44"

• 11-3/4" Roller width Folds flat for storage



