SPRING & SUMMER SAVINGS 2014





ULTRA-QUIET OIL-FREE AIR CO

1.6 GALLON

- KC-1620A • Light weight aluminum tank(s)
- 3.80 CFM @ 40 PSI • 2.35 CFM @ 90 PSI
- Extra long pump life of over 3000 hours
- 120 PSI maximum tank pressure
- ASME safety valve



KC-4620A

- Light weight aluminum tank(s)
- 3.80 CFM @ 40 PSI • 2.35 CFM @ 90 PSI
- Extra long pump life of over 3000 hours
- 120 PSI maximum
- tank pressure ASME safety valve



KC-5100C

• Blade tilts 0° to 45°

and wrenches

table inserts, push stick

• Comes with 10" x 40 tooth blade, rip fence,

mitergauge, Standard and Dado

- Two 20V MAX, 1300 m-Ah Lithium-ion
- Variable speed trigger with forward/reverse switch
- · Built-in high output LED light illuminates work surface for increased visibility
- LED battery level indicator built-in to each battery
- Comes with 6 drill bits. bit extension, 6 screwdriver bits and 4 nut drivers with 1/4" hex. shank, sturdy carrying case



1

Extendeble rails

1/2^m keyl metal chuck



charger IMPACT KIT

8022L

20V/MAX LITHIUM-ION LED RECHARC **FLASHLIGHT**

1/2" HAMMER DRILL

8309N

- Forward/reverse switch
- Aluminum gear housing Variable speed control trigger and lock-on button
- for continuous operation Power on indicator light





10" SLIDING COMPOUND MITER SAW WITH TWIN LASER 15 amp motor

8380

• Compound cuts (miter and bevel) up to 45° to the left



HIGH FREQUENCY OSCILLATING

Each kit includes a sanding back-up pad with hook and loop backing, 24 sanding papers (60, 80 and 120 grit) with hook and loop backing, 35mm Tru-cut narrow offset saw blade, 52mm rigid offset scraper





W-4808

KW-4815







15 @IMPo motor



<W-4812

























KW-4816













KW-4820



• 3450 RPM

56" x 23-1/2" x

500 bs capacity

22-1/8"

4"x36" 60

\$6.99

B-436-K-80 4"x36"

B-436-K-100 4"x36" 100

Kit includes:

- Camera handle, 9mm dia. x 39" flexible camera probe
- 2.4" diagonal TFT-LCD color monitor,
- Kit comes with 3 accessory tools (45° mirror, magnetic pick-up, pick-up hook) and



RELESS INSPECTION MER'A\WITH RECORDABLE LCD MONITOR

Kit includes:

Camera handle, 39"x 9mm camera probe, 39" x 10mm camera probe extension, 3.5" TFT-LCD wireless color monitor, monitor Li-ion charger, 3 accessory tools (45° mirror, magnetic pick-up, pick-up hook), USB and Video cables, 4GB SD memory card and



- 4.5mm diameter x 39" flexible-obedient camera probe waterproof to IP67 standards
- · LED lights inside the camera probe tip illuminate dark spaces



ASER GUIDE SYSTEM **ORILL PRESS** KC-108C • 2.5 amp. motor • 5 speeds (620-3100 R.P.M.) • 8" swing • 2" stroke • 1/2" chuck

DRILL PRESS WITH **DUAL LASER GUIDE SYSTEM** KC-110C • 3.2 amp. motor • 10" swina

DRILL PRESSES & accessories

• 2 3/8" stroke • 1/2" chuck

5"x6" METAL

KC-129C

• 3 speeds (80-120-200 FRM)

CONTRACTOR CONTRACTOR	H.S.S. & E	3I-ME	TAL	BLADES ("SKI	P TOO	TH")
E4 Commonwell	Model	Length	Width	Blade Material	TPI	Thickness	Price
	KBB-115-10	64 1/2"	1/2"	H.S.S.	10	.025	\$10.99
	KBB-115-14	64 1/2"	1/2"	H.S.S.	14	.025	\$10.99
	KBB-115-18	64 1/2"	1/2"	H.S.S.	18	.025	\$10.99
Section 1	KBB-115-24	64 1/2"	1/2"	H.S.S.	24	.025	\$10.99
	KBB-115-BM-10	64 1/2"	1/2"	Bi-Metal	10	.025	\$29.99
V	KBB-115-BM-14	64 1/2"	1/2"	Bi-Metal	14	.025	\$29.99
	KBB-115-BM-18	64 1/2"	1/2"	Bi-Metal	18	.025	\$29.99
•	•						







PRESSURE ABRASIVE SANDBLASTERS

- Heavy-duty all steel construction
- Safety pressure relief valve
- Loading abrasive is made simple using the concave funneltop of the tank
- 1/2" (I.D.) x 8 ft abrasive feed hose
- Includes media gun, 4 interchangeable nozzles (2, 2.5, 3 & 3.5mm), water separator filter, protective blast

Protective blast hood

hood and teflon tape





4 PC. MORTISING **CHISELS & BITS** MA-611 Mortising chisels & bits (1/4", 3/8", 1/2" & 5/8") Fits: KC-116C(FC), KC-117C(FC), KC-118FC & most other brands of drill presses available on the market with quill diameters of 55mm, 60mm and 65mm





BONUS 4"DRILL PRESS VISE With the purchase







PRESS WITH **DUAL LASER GUIDE SYSTEM** KC-116C

- 7.5 amp. motor
- 16 speeds (210-3670 R.P.M.)
- 13" Swing
- 3 1/8" Stroke
- 5/8" Chuck





- 7.5 amp. motor
- 16 speeds (210-3670 R.P.M.)
- 13" Swing

With the

purchase

of # KC-116FC

- 3 1/8" Stroke
- 5/8" Chuck



RECIRCULATING

CLEANING BRUSH FOR PARTS WASHERS KM-059

- **KPW-205** · Safety lever has fusible link
- Durable pump included



• Durable pump included

3 SPEED AIR CLEANER WITH REMOTE CONTROL

- .9 amp. motor
- Air capacity of 410 CFM
- 2 stage filtration, one disposable electrostatic 5 microns outer filter and 1 micron inner two pocket filter



3 SPEED AIR CLEANER WITH REMOTE CONTROL

- 1/3 HP, 2.5 amp. motor Air suction capacity of 556, 702,1050 CFM
- 2 stage filtration, one disposable electrostatic 5 microns outer filter and 1 micron inner two pocket filter



REMOTE POWEI

RC-110 (110V)

- 120° Infrared ray receiving angle
- Includes mounting hardware and 2 AAA batteries

Time

12 1/2" PORTABLE

KC-426C

- 6" Max. planing thickness
- 1/8" Max. depth of cut
- 2 double edged reversible knives



DUST COLLECTORS & accessories

KC-1101C

- 4" Inlet and outlet
- · Complete with wheel castors for portability



KC-2105C

KC-1105C • Heavy duty bag

• Improved metal impellers - for maximum air flow performance

600 CFM

Micronfelt

- 4" diameter dust ports
- · Comes with wheel castors for portability

- Improved metal impellers -for
- Comes with wheel castors for portability



- maximum air flow performance
- 4" diameter dust ports accept accessory hoses for attaching up to 2 machines



KDCB-3105B Fits KC-3105C

Seethrough plastic

\$19.99

5 BAGS PER BOX

DUST COLLECTION

K-1056 cyclonic air flow in the drum K-1017

ALUMINUM BL'AST, GATE

3" - K-1141 4" - K-1142

4" BLAST GATE K-1007

4" T-FITTING

K-1013 4"Y-FITTING

K-1015

4" ELBOW K-1017

4"SPLICE K-1019

K-1039

4#&5"WIRE

5"-K-1318




CLEAR FLEXIBLE

4²² DUST COLLECTION

27 pc

kit includes;



- 1 pc- 4" x 7" Clear tube
- 2 pc- 4" 45 degree elbows
- 2 pc- 4" 90 degree elbows
- 7 pc- 4" adaptor fittings
- 2 pc- 4" Blast gates
- 1 pc- 4" Y-fitting
 8 pc- retaining Brackets (including 16 screws and 16 wall plugs)





8520LP

 Double filtration system

Dust bag comes with see-through window

 Comes complete thread-on hose, 3 pc. plastic extension wand, 20L dust bag, foam filter, reusable filter, 10" floor sweep and



8530LP

- Double filtration system
- Tank water drain • Power cord wrap
- for 12 ft. power cord Comes complete

with 6 ft. \times 1-1/4"hose, 2 pc. plastic extension wand, 30L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool



Fits 12 1/2" planer







For Jointers

1

• Stand height is adjustable from

width

3 in 1 FOLDING **ROLLER STAND** KRS-108

• Easily change from a roller omni-directional or

a flat support • Stand height is adjustable from 27" to 44"

• 11-3/4" Roller width

• Folds flat for



OPTIONAL 22" BED EXTENSION

EXT-1016

Increases the spindle turning capacity to 38



8 PC. WOOD LATHE **CHISEL SET** KPRO-08

- Long 10" hard wood handles
- Comes in a wood box

4 JAW - 4" WOOD

LATHE CHUCK KW-100

Fits models (KWL-1016C & KWL-1443VS

1" x 8 T.P.I. **ABRASIVE**

CLEANER KW-043

1 1/2" x 1 1/2" x 8 1/2"

SPARY COAT KM-040

Table and tool surface sealant CLEAN CUT

KM-050 Blade and bit cleaner



500 lbs. Max.





• 11-3/4" Rolle

 Folds flat for storage

PORTABLE GEMENT

- 3.5 cubic feet drum capacity is designed to mix two 90 lbs bags of dry cement or mortar mix with water
- Enclosed 1/3 HP motor
- Belt driven motor and reduction gear drive
- Can be tilted to any angle using a lever to mix and pour



CUTTER KC-13LCT

 Cuts a variety of materials, up to 13" wide and 19/32" thick



• Cuts with 13" H.S.S. knife

13" HSS KNIFE KW-133

Replacement Blade

16" DIGITAL ANGLE FINDER KW-400

- Measure precise angles, draw cut marks or use it as a powertool accessory
- Digital LCD display indicates precise degree measurements (0.050 resolution)
- Powered by a 9V battery (included)

DRYWALL AND PANEL LIFT KDL-1

- Hangs drywall in sizes up to 4 ft. x 16 ft. on any ceiling or wall up to
- Tripod foot brake keeps drywall lift in position during use
- Easy to assemble and disassemble, can be placed in car trunk



1/4" Phillips #2 screwdriver bit



HORIZONTAL LOG SPLITTERS

5 TON 20" LOG SPLITTER

KC-5LS

- 20 1/2" x 12" capacity for splittling firewood
- Uses standard hydraulic oil
- Can be used on floor or bench for maximum versatility



OPTIONAL 20" STAND



6 TON 21" LOG SPLITTER

KC-6LS

- 21" x 10" capacity for splittling firewood
- Uses standard hydraulic oil
- Can be used on floor or bench for maximum versatility



UNIVERSAL ANTI-WEAR HYDRAULIC OIL KW-127 850ml



TILE SAWS & accessories

7" SLIDING TILE SAW WITH LASER GUIDE

KC-3008

3,600 RPM motor

Comes complete with 7" diamond continuous rim blade, 45° & 90° rip guides and sturdy folding stand



KC-3010NB

• 3,600 RPM motor

Comes complete with 10" diamond continuous rim blade, 45° & 90° rip guides, 45° bevel guide and sturdy folding stand

Move tile saw from

one site to another

with stand in opened



7" WET TYPE DIAMOND BLADE Replacement Blade

10" DIAMOND **BLADE** KSC10DB-W

ASER GUIDE SYSTEM

Replacement Blade 7" TILE SAW

KC-3004ST Adjustable cutting table tilts from 0°-45° Adjustable cutting table tilts from 0°-45°

 Increased cutting capacity up to 14" to the right of the blade and up to 18" to the left

 Comes with adjustable rip fence, V-push block for miter cuts and adjustment







7" TILE SAW

KC-3003N

K-3000 Comes with tungsten carbide rodsaw drilling tip, tilenippers

ALLATION

for more radius cutting, tile pliers to snap scorelines, 1-1/2" spatula, grout line saw, chipping hammer, 4-1/2" x 11" trowel and sturdy carrying case





• Water reservoir for cooling the blade

Comes with adjustable rip fence,

GASOLINE Pressure Washers, Water Pumps & Generators

2001FM

- 2000 PSI, 1.8 GPM maximum water flow
- Thermal relief valve on pump to protect against overheating
- 25' high pressure hose and inlet hose quick connect coupling
- Comes with 8' pneumatic wheels for portability and 4 quick connect nozzles (0° 25°, 40° and deteraent



KCG-2000i

· Sine wave digital inverter generator

provides stable current to power

voltage-sentitive electronics

AC Outlet: 120V/16.7

amp AC output

amp DC output Comes with DC cables, spark plug socket, oil fill container, screwdriver and oil drain pipe

DC Outlet: 12V/8.3



2000W GASOLINE DIGITAL INV

3000 PSI GASOLINE H

- 3000 PSI, 2.3 GPM maximum water flow
- Thermal relief valve on pump to protect against overheating
- 25' high pressure hose and inlet hose auick connect coupling
- Comes with 10" pneumatic wheels for portability and 4 quick connect nozzles (0°, 15°, 25°, 40° and detergent)





9 GASOLINE WATER PUMP

- 92' Total head lift (total height at sea level, to which water can be raised above original water level)
- Oil sensor shuts off engine when oil level is low
- Comes with 3 wire clamps, 4 hose adaptors, 4 rubber gaskets, strainer basket and strainer basket adaptor



67 GASOLINE WATER PUMP

92' Total head lift (total height at sea level, to which water can be raised above original water level)

Oil sensor shuts off engine when oil level is low Self priming pump for easy operation Heavy-duty roll cage protects

CG-3PG

engine and pump

Comes with 3 wire clamps, 4 hose

adaptors, 4 rubber gaskets, strainer

basket and strainer basket adaptor

EMERGENCY POWER SOURCE & AIR

COMPRESSOR 8400N

 900 peak amps, 500 cranking amp boost

Comes with positive and negative booster clamps, 120V AC charger, 12V DC charging cord with automotive adaptor, air hose with quick connect chuck.



950W PORTABLE GENERATOR

KCG-951G

EPA

- Brushless alternator and electronic ignition
- Outlet: 120V/6.7 amp AC output
- Outlet: 12V/5.3 amp DC output
- Easy start manual recoil starter
- · AC and DC circuit breakers and reset buttons for safe operation
- · Comes with DC cables and spark plug socket



1500W GASOLINE GENERATOR KCG-1501G

- Low oil shut-off with indicator light protects the engine
- Duplex Outlet: 120V/10 amp. AC output
- Terminals: 12V, 8 amp. DC output
- Easy start recoil starter
- AC and DC circuit breakers for safe operation
- Comes with DC cables and spark plug socket



3500W GASOLINE GENERATOR WITH WHEEL KIT

KCG-3500G

- AVR system and electronic ignition
- · Low oil shut-off with indicator light protects the engine
- Duplex Outlet: 120V/20 Amp AC output
- Twist lock outlet: 120V/240V/30 Amp AC output
- Voltage switch and ground terminal
- · AC Circuit breaker and resets for safe operation



5625W GASOLINE GENERATOR

KCG-5625G

· AVR system and electronic ignition

EPA

- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 amp AC • Twist lock outlet: 120V/240V/30 amp AC
- · Easy start recoil starter
- AC double throw circuit breaker and resets for
- safe operation





KCG-7501GE

- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine

7500W GASOLINE GENERATOR

WITH ELECTRIC START & WHEEL KIT

- Two duplex outlets: 120V/20 amp AC output
- Two twist lock outlets: 120V/30 amp and 120V/240V/30 Amp AC output
- Keyed electric start and easy start recoil starter
- AC Circuit breaker and resets for safe operation



9000W GASOLINE GENERATOR WITH ELECTRIC START & WHEEL KIT

KCG-9000GE

- AVR system and electronic ignition
- Two duplex outlets: 120V/20 Amp AC output
- Two twist lock outlets: 120V/30 Amp and 120V/240V/30 Amp AC output
- · Keyed electric start and easy start recoil starter
- AC Circuit breaker and resets for safe operation
- Terminals: 12V/8.3 amp DC output with DC reset
- Running time digital meter, ammeter and voltmeter







AIR COMPRESSORS & cressories

100 PSI

3 gallon

New & Improved

3 GALLON AIR COMPRESSOR &

2" BRAD NAILER KIT

8440N/8200B

• Comes with an powerful 18 ga. x 2" brad nailer kit which drives standard 18 ga. brad nails from 5/8" to 2"

- 70-100 PSI operating pressure
- 0.82 SCFM @ 40 PSI
- 0.60 SCFM @ 90 PSI



AIR TOOL KIT

8171

 Comes with 1/2" Impact Wrench, 3/8" Ratchet Wrench, Air Hammer and

1/4" Die Grinder



71 PG



HYBRID POLYMER INDUSTRIAL AIR HOSES						
K-2514H	25'x1/4"	\$19.99				
K-2538H	25'x3/8"	\$24.99				
K-5014H	50'x1/4"	\$29.99				
K-5038H	50'x3/8"	\$39.99				
K-10014H	100'x1/4"	\$49.99				
K-10038H	100'x3/8"	\$59.99				

ARCTIC FLEX.

All-Weather Flexibility (-40°C to 65°C)

1.5 HP AIR COMPRESSOR

8449N

- Durable oil lubricated pump
- 2.76 SCFM @ 40 PSI
- 2.30 SCFM @ 90 PSI
- Air Pressure Regulator and easy to read Pressure Gauges
- · Convenient reset feature on unit

COMPRESSOR ONLY



1.5 HP AIR COMPRESSOR COMBO KIT

8449N/8200NH25

Kit includes

- 1- 1.5 HP air compressor (8449N)
- 1- 18 gauge x 2" brad nailer kit (8200B)
- 1- 3/8" x 25' air hose 300 PSI (KAH-3825)



ARROW® T50® STAPLES

8150CT

• Drives 3/8" crown x 20 Ga. Arrow® T50® staples from 1/4" - 9/16" and 18 Ga. brad nails from 3/8" - 5/8"

• 4.8V, 1.3 Ah Ni-Mh battery pack



CORDLESS STAPLER KIT - DRIVES STAPLER KIT - DRIVES ARROW®

T50® STAPLES

- 8140S
- 1/4" 9/16" Stapler range
- Comes with 1/4" air inlet, oiler, hex. keys, & sturdy carrying case



21 GA. X 1/2" CROWN UPHOLSTERY STAPLER KIT

- 1/4" to 5/8" Stapler range
- Comes with 1/4" air inlet, oiler, hex. keys, & sturdy carrying case



8101S

STAPLER KIT

• 3/8" to 1" Stapler range Comes with 1/4" air inlet, oiler, hex. keys,

& sturdy carrying case



18GA. X 1" NARROW CROWN 16 GA. X 2" 7/16" MEDIUM

CROWN STAPLER KIT

8216S

- 3/4" to 2" Stapler range
- Comes with 1/4" air inlet, oiler, hex. keys, safety glasses & sturdy carrying case



23GA. X 1 3/8"HEADLESS PIN NAILER KIT

8223PN

- 1/2" to 1-3/8" Pin range
- Comes with 1/4" Air inlet, 2 removable non-marring tips, oiler, hex. keys and sturdy



23GA. X 2" HEADLESS PIN **NAILER KIT**

- **8251PN** 1/2" to 2" Pin range
- Comes with 1/4" Air inlet, 2 removable non-marring tips, oiler, hex. keys and sturdy



18GA, X 2" **BRAD NAILER KIT**

8201N

- 3/4" to 2" Nail range
- Comes with 1/4" air inlet, oiler, hex. keys, safety glasses & sturdy carrying case



18 GA. NAILER/

STAPLER KIT 8210NS

- 18 Ga. x 1/4" (3/8" to 1 5/8") stapler

- 18 Ga. x 1/4" (3/4" to 2") nailer
 Comes with 1/4" air inlet, oiler, hex. keys



PALM NAILER

8120P

- Powerful palm nailer drives bulk, framing, timber and finishing nails up to 4-1/2" (120mm) in length
- Magnetic nail holder for fast and easy nailing
- · Comes with oiler and hex. key







INFLATION GUN WITH PRESSURE GAUGE

NAILERS & STAPLERS

43PG

15" flexible rubber hose with lever style chuck rubbei protected 2-1/2" diameter pressure gauge (pressure range of


ACCESSORY KIT

K-1620

Safety Valve

Separate adjustable fluid and spray pattern knobs

for fine detailing or total coverage





RAY GUN KITS



HOSE

Kit includes: • 300 PSI PVC

- hose 1/4" Universal
- One-touch quick coupling
- 1/4" air inlet

KAH-3825 $3/8" \times 25'$

OIL-FREE AIR COMPRESSOR 8491N

- 17,000 RPM, 12 Amp. motor
- 3.4 SCFM @ 40 PSI

10- 170 PSI)

and a quick connect

1/4" NPT air inlet

- 2.5 SCFM @ 90 PSI
- Two 1/4" universal one touch quick couplers



OIL-FREE AIR COMPRESSOR & BRAD NAILER COMBO KIT

8491N/8200NH25

- 1- 6 gallon air compressor
- 1- 18 gauge x 2" brad nailer kit (model 8200B)
- 1- 3/8" x 25' air hose 300 PSI (model KAH-3825)











5 PEAK HP AIR COMPRESSOR

8498

 $KW_{-}07$

(850ml)

- Durable oil lubricated pump
- 20 gallon tank
- 7.4 SCFM @ 40 PSI
- 5.7 SCFM @ 90 PSI
- · Air Pressure Regulator and easy to read Pressure Gauges





16GA. X 2 1/2" BRAD **NAILER KIT**

8225N

- 3/4" to 2 1/2" Nail range
- Comes with 1/4" air inlet, oiler, hex. keys, safety glasses & sturdy carrying case



28°-30° CLIPPED HEAD FRAMING 2" FLOORING STAPLER/ **NAILER KIT**

 Shoots standard 2 1/4" - 3 1/2"



34° CLIPPED HEAD FRAMING

NAILER KIT AIRDEFLECTOR 8234N Shoots standard 2 1/4" - 3 1/2" \$99,99

ATROLLINGOR CLEAT NAILER KIT

8260FSN-2

Gallon Tank

- 1 " to 2" Staple range
- 1 1/2 " to 2" Cleat nail range
- Comes with mallet, 1/4" air inlet, safety glasses, oiler, hex. keys & sturdy carrying case



2" FLOORING STAPLER/ **CLEAT NAILER KIT**

8266FSN-3

- 1 1/2" to 2" stapler
- range 1 1/2 " to 2" "L" & "T" cleat nail range
- Comes with nylon-fibre glass mallet, 1/4" air inlet, safety glasses, oiler, hex. keys & sturdy carrying case





18 GA. 2" BRAD NAILER / 1" NARROW CROWN STAPLER 8201N/8101SK

Kit Includes:

- 3/4" to 2 " Nailer
- 3/8" to 1" Stapler
- Comes with 1/4" air inlet, oiler. hex. keys and sturdy carrying case



DELUXE NAILER KIT WITH **BONUS STAPLER**

- 28° Clipped head framing nailer
- 18 ga. x 1" Narrow crown stapler
- 18 ga. x 2" Brad nailer



COIL ROOFING NAILER KIT 8245R

- 7/8" to 1 3/4" (11 Ga.)
- Comes with 1/4" air inlet, debris shield, safety glasses, oiler, hex. keys and sturdy carryina case



30° - 34° CLIPPED HEAD CORDLESS GAS FRAMING

NAILER KIT

- (HOUR CHARGER 8235GFN 20AUEN CASES
- Drives standard 30°-34° Paslode™ and Senco™ paper collated clipped head nails
- Accepts PaslodeTM and SencoTM fuel cells



18GA. BRAD NAILER/STAPLER & FLOORING NAILER/STAPLER KIT

- Standard 18 Ga. brad nails 4 in 1 and 18 Ga. 1/4" crown staples
- Comes with 1/4" air inlet, oiler, hex. keys & sturdy







POWER TOOLS

-

DUAL TEMPERATURE

HEAT GUN

8300N

- Powerful 1,500 watt motor
- · Comes complete with heat gun, 4 nozzles, 5pc. paint scraper kit



DRILL

8302N

• 3.3 amp. motor

• 3/8" Keyless chuck

• Non-Slip soft grip

• Forward/reverse switch

3/8" ELECTRIC



1/4 SHEET PALM SANDER

- Powerful 1.5 Amp. motor operates at 14,000 opm
- Comes with 60, 100 grit sandpaper, rear vacuum port, detachable dust bag and sandpaper punch plate



1/3 SHEET **©** PALM SANDER

8352

8303N

• 1.2 amp motor

and dust port adaptor

9 PC. SANDING

KW-168 2000

PAPER KIT

- · Powerful 1.6 Amp. motor operates at 24,000 opm
- Comes with 12 pieces of abrasives, dust port adaptor and sandpaper punch plate

DETAIL PALM SANDER

(4 x 80 grit, 4 x 120 grit, 4 x 180 grit)

· Comes with 12 pieces of abrasives



JAMB & UNDERCUT

Model

- Ideal for undercutting baseboard, walls, door jambs, under toe-spaces and inside corners
- The height of cut is adjustable from flush to 1" above the floor with 1/8'





TOOL KIT

8353N

Shaft, 135 PC. assorted



3/8" ELECTRIC DRILL

- 8304N
- 5 amp. motor
- 3/8" Keyless chuck
- Forward/reverse switch
- Non-Slip soft grip



3/8" VARIABLE SPEED RIGHT ANGLE DRILL

8310ADN

- 3.2 amp. motor
- 0-1500 RPM
- Forward/reverse switch
- Non-Slip soft grip



5" RANDOM ORBIT SANDER 8305

- 1.5 amp motor
- Comes complete with 9 PC. accessories & sturdy carrying case
- 5" DISC HOOP AND LOOP SANDING PAPER KIT









GARDEN

14" ELECTRIC GRASS TRIMMER/

EDGER 8514GT

- · Pivoting head tilts to fit confined spaces or angled landscapes
- Telescopic shaft adjusts length of grass trimmer to users height
- Automatic line-feed



Replacement prė-wound double spool & line (W-135

2 x 16 ft. x 0.065"

ELECTRIC LEAF BLOWER

- Blower provides 290 Km/h of air speed
- Extension cord lock system holds cord in place



3-IN-1 VARIABLE SPEED **BLOWER/VACUUM/MULCHER**

- Blower function provides 180 to 320 Km/h of air speed
- Vacuum function provides 110 to 350 CFM of air volume
- 16 to 1 mulch ratio mulches 16 bags of leaves into 1 bag of mulched leaves
- 5" vacuum/mulcher collection tubes
- Comes with blower attachment, vacuum/mulching attachments, washable leaf collection bag and adjustable





- Forward/reverse switch
- Variable speed trigger
- for added torque
- - (M14 thread), mixing paddle collet adaptor, adjustment keys and sturdy








3"/X 24" BELTSANDER











8363

• 10 amp. motor • Belt speed 1300 FPM

Comes with sanding

belt and dust bag








• 0 - 550 RPM - 8.75 amp. motor

with lock-on button Double gear reduction

Rear D-handle rotates 360° Comes with 1/2" chuck, 3









POWER TOOLS

12 PC. 4 1/2" ANGLE GRINDER & CUT-OUT TOOL KIT 8361



• 4.5 amp. motor

- Circle cuts from 4" to 12" in dia.
- Kit comes with 1/8" & 1/4" down spiral cut-out bits, 1/8" up spiral cut-out bit, 1/8" & 1/4" collets, circle cutting guide, bit storage compartment, spindle wrench, extra set of carbon brushes and impact resistant carrying case



1/4" LAMINATE TRIMMER

8362

- 3.3 Amp., 110 V, 26,000 RPM no load speed
- Comes complete with 1/4" collet cone, 1/4" x 3/8" straight bit, straight edge guide, trimmer base and roller guide, #10 and #17 open end wrenches






VARIABLE SPEED ORBITAL JIG SAW Enhanced

WITH LASER 8329

6 amp. motor

- Tool-less quick release blade change system
- Comes with jig saw blades, edge guide, dust chute, hex. keys and sturdy





1/2" IMPACT WRENCH 8311 • 7 amp. motor

- Impacts 2700 BPM
- Maximum Torque 230 /ft.-lbs
- Comes with 4 sockets 11/16", 3/4", 13/16", and 7/8"
- Double Insulation



- · Cuts hard and soft metals, hardwood, PVC, Iron, plastics, aluminum, copper, stainless steel with ease and precision
- Kit includes set of universal tungsten carbide tipped (TCT) blades, 10 pcs. lubricating wax sticks, control



- Cuts hard and soft metals, hardwood, PVC, Iron, plastics, aluminum, copper, stainless steel with ease and precision
- (TCT) blades, 10 pcs. lubricating wax sticks, control



- · Cuts hard and soft metals, hardwood, PVC, Iron, plastics, aluminum, copper, stainless steel with ease and precision
- Kit includes set of universal tungsten carbide tipped (TCT) blades, 10 pcs. lubricating wax sticks, control







11

www.kingcanada.com

3" X 21" VARIABLE SPEED **BELT SANDER**

8356VS

- Belt speed 390-1250 FPM
- · Highly efficient dust collection system
- Comes with sanding belt and dust bag



3"x 21" SANDING BELT KITS							
	Model	Belt Size	Grit	Units/Kit	Price		
	SB-321-40	3"x21"	40	1	\$1.99		
	SB-321-60	3"x21"	60	1	\$1.99		
	SB-321-80	3"x21"	80	1	\$1.99		
	SB-321-120	3"x21"	120	1	\$1.99		

10" TABLE SAW KC-5005R

 Powerful 15 amp, 4,800 RPM ball bearing motor

• Blade tilts 0° to 45° for versatile angle cutting

 26" x 19" heavy-duty cast aluminum table

 Comes with rip fence, miter gauge, push stick and wrenches



LOG JAWS

CLAMPING

HORIZONTAL/VERTICAL GAS LOG SPLITTERS

ATTACHMENT FOR PORTABLE

WORKSTATION



12V LI-ION CORDLESS **DRILL KIT**

8010L

- 12V, 1300 m-Ah Li-ion battery provides longer run time

- 3/8" "Jacobs" keyless chuck Built-in high output LED light Comes with 1 Li-ion battery, 6 drill bits, 6 screwdriver bits, bit extension and sturdy carrying case

Replacement Li-ion Battery K-8012LB1 Fits: 8010L &





12V LI-ION CORDLESS IMPACT DRIVER KIT

- Powerful 710 in/lbs of driving force
 12V, 1300 m-Ah Li-ion battery provides longer run time
- Built-in high output LED light Comes with 1 Li-ion battery, 4 nut drivers with 1/4" hex. shank (6, 8, 10 & 12mm), 2 screwdriver bits (Robertson #1, #2), 1/4" socket adaptor and sturdy carrying case



- Maximum clamping width 38"
- Height of clamping table 31 1/2"
- Maximum clamping force 1 metric ton
- Maximum weight capacity 220 lbs
- Foot pedal allows clamping force as required
- · Frees up your hands for full control of the workpiece
- Protective jaw facings provide slip resistant grip
- Lock/release switch allows trouble-free release of the jaws
- · Folds quickly for storing or transporting from job to job



VARIABLE SPEED RECIPROCATING SAW KIT @

8354

- Variable speed 800-3000 SPM
- Tool-less blade clamp system
- Accepts standard 1/2" shank blades (1.5 mm)

· Comes with 2 wood cutting blades, 2 metal cutting blades



14" CUT-OFF SAW

8342N

- Standard 14" abrasive wheel
- Spark deflector for safe operation
- · Quick release vise for holding workpiece, allows cuts up to a 45° angle
- Onboard abrasive wheel wrench storage





KCG-15LS

- Quick split 8 second cycle time cylinder
- Splits logs up to 21" in length
- Log cradle keeps logs from dropping to the ground

KCG-22LS

- Quick split 8 second cycle time cylinder
- Splits logs up to 24" in length
- Cross wedge splits
- logs from dropping to the





3000W DIGITAL INVERTER GENERATOR WITH REMOTE ELECTRIC START

KCG-3000i

- Sine wave digital inverter generator provides stable current to power voltage-sentitive electronics
- Duplex outlet: 120V/20 amp AC • Twist lock outlet: 120V/30 amp AC
- DC outlet: 12V/8.3 amp output • 12V battery,
- DC cables, extra spark plug, spark plug socket, oil fill container, screwdriver and oil drain pipe







We reserve the right to limit quantities. We reserve the right to correct any typographical and pictorial errors without notice. Articles may vary from illustration Some retailers may not stock all products due to space restrictions and product availability. 2 years warranty on King Power Tools.